



P.O. Box 1089 Coldspring Tx 77331  
Website: eastexlabs.com  
Email: eastexlab@eastex.net  
Tel: 936 653 3249



March 03, 2020

Texas A&M Agrilife  
Texas A and M AgriLife  
1335 Regents Park Dr. Ste. 260  
Houston, TX 77058

**TX A and M Community Stormwater**

Enclosed are the results of analyses for samples received by the laboratory on 02/06/20 14:35, with Lab ID Number C0B1485. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Mark Bourgeois". The signature is written in a cursive style and is positioned above a horizontal line.

Mark Bourgeois  
Special Projects Manager



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**LABORATORY ANALYTICAL REPORT**

Project: TX A and M Community Stormwater  
 Sample Matrix: Water  
 Client Matrix: Water

Sample Date & Time: 02/06/2020 08:26  
 Collector: CT  
 Sample Type: Grab  
 Print Date: 3/3/2020

**UTRP 101-7  
 C0B1485-01 (Water)**

Analyte	Result	Reporting Limit	Units	Nelac Status	Batch	Analyzed Date & Time	Method	Notes
<b><u>Metals</u></b>								
Total Phosphorus	<0.0600	0.0600	mg/L	A	B0C0003	03/02/2020 17:35	EPA 200.7	
<b><u>Microbiological Lab</u></b>								
E coli IDEXX	<10	10	mpn/100ml	A	B0B0994	02/06/2020 14:50	Colilert 18	
<b><u>Wet Lab</u></b>								
Ammonia as N	0.2	0.1	mg/L	A	B0B1099	02/10/2020 10:30	SM 4500 NH3 G	
Nitrate+Nitrite as N	0.44	0.02	mg/L	A	B0B1131	02/18/2020 08:00	SM 4500 NO3 F	
TSS	12.2	1.0	mg/L	A	B0B0985	02/07/2020 17:51	SM 2540 D	



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**SM 2540 D - Quality Control**  
**Eastex Environmental Laboratory - Coldspring**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch B0B0985 - No Prep</b>										
<b>Blank (B0B0985-BLK1)</b> Prepared & Analyzed: 2/7/2020 5:51:00PM										
TSS	ND	1.0	mg/L							
<b>Duplicate (B0B0985-DUP1)</b> Source: C0B1314-01 Prepared & Analyzed: 2/7/2020 5:51:00PM										
TSS	500	1.0	mg/L		515			2.96	10	
<b>Batch B0B0994 - No Prep Micro</b>										
<b>Blank (B0B0994-BLK1)</b> Prepared & Analyzed: 2/6/2020 2:50:00PM										
E coli IDEXX	ND	1	mpn/100ml							
<b>Duplicate (B0B0994-DUP1)</b> Source: C0B1079-01 Prepared & Analyzed: 2/6/2020 2:50:00PM										
E coli IDEXX	ND	2	mpn/100ml		ND				200	
<b>Batch B0B1099 - No Prep</b>										
<b>Blank (B0B1099-BLK1)</b> Prepared & Analyzed: 2/10/2020 10:30:00AM										
Ammonia as N	ND	0.1	mg/L							
<b>LCS (B0B1099-BS1)</b> Prepared & Analyzed: 2/10/2020 10:30:00AM										
Ammonia as N	1.90		mg/L	2.00		95.0	90-110			
<b>LCS Dup (B0B1099-BSD1)</b> Prepared & Analyzed: 2/10/2020 10:30:00AM										
Ammonia as N	1.90		mg/L	2.00		95.0	90-110	0.00	20	
<b>MRL Check (B0B1099-MRL1)</b> Prepared & Analyzed: 2/10/2020 10:30:00AM										
Ammonia as N	0.100		mg/L	0.100		100	0-200			
<b>Matrix Spike (B0B1099-MS1)</b> Source: C0B1407-01 Prepared & Analyzed: 2/10/2020 10:30:00AM										
Ammonia as N	2.7	0.1	mg/L	2.50	0.4	93.6	80-120			
<b>Batch B0B1131 - No Prep</b>										
<b>Blank (B0B1131-BLK1)</b> Prepared & Analyzed: 2/18/2020 8:00:00AM										
Nitrate+Nitrite as N	ND	0.02	mg/L							
<b>LCS (B0B1131-BS1)</b> Prepared & Analyzed: 2/18/2020 8:00:00AM										
Nitrate+Nitrite as N	1.00		mg/L	1.00		100	90-110			
<b>LCS Dup (B0B1131-BSD1)</b> Prepared & Analyzed: 2/18/2020 8:00:00AM										
Nitrate+Nitrite as N	1.03		mg/L	1.00		103	90-110	2.96	20	

Eastex Environmental Laboratory - Coldspring

*The results in this report apply to the samples analyzed in accordance with the chain of custody document.  
 This analytical report must be reproduced in its entirety.*

\*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**SM 4500 NO3 F - Quality Control**  
**Eastex Environmental Laboratory - Coldspring**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch B0B1131 - No Prep</b>										
<b>MRL Check (B0B1131-MRL1)</b>				<b>Prepared &amp; Analyzed: 2/18/2020 8:00:00AM</b>						
Nitrate+Nitrite as N	0.0200		mg/L	0.0200		100	0-200			
<b>Matrix Spike (B0B1131-MS1)</b>				<b>Source: C0B1483-01 Prepared &amp; Analyzed: 2/18/2020 8:00:00AM</b>						
Nitrate+Nitrite as N	1.10	0.02	mg/L	1.00	0.0200	108	80-120			
<b>Batch B0C0003 - EPA 200.7</b>										
<b>Blank (B0C0003-BLK1)</b>				<b>Prepared &amp; Analyzed: 3/2/2020 4:46:55PM</b>						
Total Phosphorus	ND	0.0600	mg/L							
<b>Blank (B0C0003-BLK2)</b>				<b>Prepared &amp; Analyzed: 3/2/2020 5:45:57PM</b>						
Total Phosphorus	ND	0.0600	mg/L							
<b>Blank (B0C0003-BLK3)</b>				<b>Prepared &amp; Analyzed: 3/2/2020 6:44:57PM</b>						
Total Phosphorus	ND	0.0600	mg/L							
<b>Blank (B0C0003-BLK4)</b>				<b>Prepared &amp; Analyzed: 3/2/2020 7:43:57PM</b>						
Total Phosphorus	ND	0.0600	mg/L							
<b>LCS (B0C0003-BS1)</b>				<b>Prepared &amp; Analyzed: 3/2/2020 4:50:22PM</b>						
Total Phosphorus	2.45	0.0600	mg/L	2.52		97.1	85-115			
<b>LCS (B0C0003-BS2)</b>				<b>Prepared &amp; Analyzed: 3/2/2020 5:49:25PM</b>						
Total Phosphorus	2.70	0.0600	mg/L	2.52		107	85-115			
<b>LCS (B0C0003-BS3)</b>				<b>Prepared &amp; Analyzed: 3/2/2020 6:48:26PM</b>						
Total Phosphorus	2.62	0.0600	mg/L	2.52		104	85-115			
<b>LCS (B0C0003-BS4)</b>				<b>Prepared &amp; Analyzed: 3/2/2020 7:47:25PM</b>						
Total Phosphorus	2.73	0.0600	mg/L	2.52		108	85-115			
<b>LCS Dup (B0C0003-BSD1)</b>				<b>Prepared &amp; Analyzed: 3/2/2020 4:53:51PM</b>						
Total Phosphorus	2.48	0.0600	mg/L	2.52		98.4	85-115	1.28	20	
<b>LCS Dup (B0C0003-BSD2)</b>				<b>Prepared &amp; Analyzed: 3/2/2020 5:52:52PM</b>						
Total Phosphorus	2.73	0.0600	mg/L	2.52		108	85-115	1.07	20	
<b>LCS Dup (B0C0003-BSD3)</b>				<b>Prepared &amp; Analyzed: 3/2/2020 6:51:54PM</b>						
Total Phosphorus	2.62	0.0600	mg/L	2.52		104	85-115	0.0638	20	
<b>MRL Check (B0C0003-MRL1)</b>				<b>Prepared &amp; Analyzed: 3/2/2020 4:43:26PM</b>						

Eastex Environmental Laboratory - Coldspring

*The results in this report apply to the samples analyzed in accordance with the chain of custody document.  
 This analytical report must be reproduced in its entirety.*

\*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**EPA 200.7 - Quality Control**  
**Eastex Environmental Laboratory - Coldspring**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch B0C0003 - EPA 200.7</b>										
<b>MRL Check (B0C0003-MRL1)</b>				<b>Prepared &amp; Analyzed: 3/2/2020 4:43:26PM</b>						
Total Phosphorus	0.0515	0.0600	mg/L	2.52		2.04	0-200			
<b>Matrix Spike (B0C0003-MS1)</b>				<b>Source: C0B0901-01</b>		<b>Prepared &amp; Analyzed: 3/2/2020 5:04:14PM</b>				
Total Phosphorus	2.72	0.0600	mg/L	2.52	0.0580	106	70-130			
<b>Matrix Spike (B0C0003-MS2)</b>				<b>Source: C0B1770-01</b>		<b>Prepared &amp; Analyzed: 3/2/2020 6:03:18PM</b>				
Total Phosphorus	3.00	0.0600	mg/L	2.52	0.0254	118	70-130			
<b>Matrix Spike (B0C0003-MS3)</b>				<b>Source: C0B2931-02</b>		<b>Prepared &amp; Analyzed: 3/2/2020 7:02:19PM</b>				
Total Phosphorus	1.89	0.0600	mg/L	2.52	0.0678	72.3	70-130			
<b>Matrix Spike (B0C0003-MS4)</b>				<b>Source: C0B5056-03</b>		<b>Prepared &amp; Analyzed: 3/2/2020 8:01:16PM</b>				
Total Phosphorus	3.01	0.0600	mg/L	2.52	ND	119	70-130			



P.O. Box 1089 Coldspring Tx 77331  
Website: eastexlabs.com  
Email: eastexlab@eastex.net  
Tel: 936 653 3249



Texas A and M AgriLife  
1335 Regents Park Dr. Ste. 260  
Houston TX, 77058

### Notes and Definitions

DET Analyte DETECTED  
ND Analyte NOT DETECTED at or above the reporting limit  
NR Not Reported  
dry Sample results reported on a dry weight basis  
RPD Relative Percent Difference



**EASTEX ENVIRONMENTAL LABORATORY, INC.**  
 P.O. Box 1089 \* Goldspring, TX 77331 P.O. Box 631375 \* Nacogdoches, TX 75963-1375  
 (936) 653-3249 \* (800) 525-0508 (936) 569-8879 \* FAX (936) 569-8951  
 www.eastexlabs.com

White Copy-Follows Samples  
 Yellow Copy-Laboratory  
 Pink Copy-Client Copy

REPORT TO: Christie Taylor

INVOICE TO: Christie Taylor

Company: TCWP Agrilife Extension

Company: TCWP Agrilife Extension

Remarks:

Address: 1335 Regents Park 260

Address: 1335 Regents Park 260

Houston TX 77058

Houston TX 77058

Attn: Christie Taylor

Attn: Christie Taylor

Phone#: 979-399-4009

Phone#: 979-399-4009

Email: ctaylor@tamurdc.com

P.O. #:

Sampler's Name (print):

Christie Taylor

Sampler's Signature:

Christie Taylor

Project Name:

TCWP Stormwater Sampling

Work Order ID	Sample ID	Date	Time	Matrix	C or G	DO	pH	Cl2	Flow	Temp	#	Size	Type	Pres	ANALYSIS REQUESTED				
															TSS	Total phosphate	E. coli	NO <sub>2</sub> + NO <sub>3</sub>	
CB1485	UTR101-7	7/6/20	8:26	OT	C	13.9	7.35	-	-	74.6	1	3	P	C	X				
											1	5	P	C/N	X				
											1	6	P/S	C/ST	X				
											1	4	P	C/S	X				
											1	4	P	C/S	X				

Relinquished By: Christie Taylor

Received By: [Signature]

Date: 2-6-20 Time: 11:05

Received Iced: YES / NO

Relinquished By: [Signature]

Received By: [Signature]

Date: 2-6-20 Time: 1:35

Received Iced: YES / NO

LAB USE ONLY

Sample Condition Acceptable: YES / NO

Date: 2-6-20 Time: 1:35

Received Iced: YES / NO