



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**LABORATORY ANALYTICAL REPORT**

Project: TX A and M Community Stormwater  
 Sample Matrix: Water  
 Client Matrix: Water

Sample Date & Time: 12/10/2019 13:35  
 Collector: CT  
 Sample Type: Grab  
 Print Date: 12/23/2019

**UTRP 102-5  
 C9L2886-01 (Water)**

Analyte	Result	Reporting Limit	Units	Nelac Status	Batch	Analyzed Date & Time	Method	Notes
<b><u>Metals</u></b>								
Arsenic, Total	0.000686	0.000500	mg/L	A	B9L1864	12/17/2019 10:47	EPA 200.8	
Barium, Total	0.0371	0.00300	mg/L	A	B9L1864	12/17/2019 10:47	EPA 200.8	
Cadmium, Total	<0.00100	0.00100	mg/L	A	B9L1864	12/17/2019 10:47	EPA 200.8	
Chromium, Total	<0.00300	0.00300	mg/L	A	B9L1864	12/17/2019 10:47	EPA 200.8	
Lead, Total	<0.000500	0.000500	mg/L	A	B9L1864	12/17/2019 10:47	EPA 200.8	
Mercury, Total	<0.000200	0.000200	mg/L	A	B9L1456	12/12/2019 12:36	EPA 245.1	
Selenium, Total	<0.00500	0.00500	mg/L	A	B9L1864	12/17/2019 10:47	EPA 200.8	
Silver, Total	<0.000500	0.000500	mg/L	A	B9L1864	12/17/2019 10:47	EPA 200.8	
Total Phosphorus	<0.0600	0.0600	mg/L	A	B9L2776	12/23/2019 14:43	EPA 200.7	

**Microbiological Lab**

E coli IDEXX	906	10	mpn/100ml	A	B9L1498	12/11/2019 16:40	Colilert 18	
--------------	-----	----	-----------	---	---------	------------------	-------------	--

**Organics**

<b><u>TPH TX 1005</u></b>								
TPH (>C6 - C12)	<2.00	2.00	mg/L	A	B9L1602	12/12/2019 19:26	TX 1005	23
TPH (>C12 - C28)	<2.00	2.00	mg/L	A	B9L1602	12/12/2019 19:26	TX 1005	12, 53
TPH (>C28 - C35)	<5.00	5.00	mg/L	A	B9L1602	12/12/2019 19:26	TX 1005	12, 23, 53
Total TPH (>C6-C35)	<5.00	5.00	mg/L		B9L1602	12/12/2019 19:26	TX 1005	
Surrogate: 1-Chlorooctane			80.3 %		70-130	B9L1602	12/12/2019 19:26	TX 1005
Surrogate: o-Terphenyl			66.6 %		70-130	B9L1602	12/12/2019 19:26	TX 1005

**Wet Lab**

Ammonia as N	0.2	0.1	mg/L	A	B9L1899	12/16/2019 15:37	SM 4500 NH3 G	
--------------	-----	-----	------	---	---------	------------------	---------------	--



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

Project: TX A and M Community Stormwater  
 Sample Matrix: Water  
 Client Matrix: Water

Sample Date & Time: 12/10/2019 13:35  
 Collector: CT  
 Sample Type: Grab  
 Print Date: 12/23/2019

**UTRP 102-5**  
**C9L2886-01 (Water)**

Analyte	Result	Reporting Limit	Units	Nelac Status	Batch	Analyzed Date & Time	Method	Notes
<b><u>Wet Lab</u></b>								
Nitrate+Nitrite as N	0.17	0.02	mg/L	A	B9L1966	12/16/2019 08:30	SM 4500 NO3 F	
TSS	3.2	1.0	mg/L	A	B9L1571	12/12/2019 15:37	SM 2540 D	25



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**EPA 245.1 - Quality Control**  
**Eastex Environmental Laboratory - Coldspring**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch B9L1456 - EPA 245.1</b>										
<b>Blank (B9L1456-BLK1)</b>				<b>Prepared &amp; Analyzed: 12/12/2019 11:44:17AM</b>						
Mercury, Total	ND	0.000200	mg/L							
<b>Blank (B9L1456-BLK2)</b>				<b>Prepared &amp; Analyzed: 12/12/2019 12:16:35PM</b>						
Mercury, Total	ND	0.000200	mg/L							
<b>LCS (B9L1456-BS1)</b>				<b>Prepared &amp; Analyzed: 12/12/2019 11:48:19AM</b>						
Mercury, Total	0.00244	0.000200	mg/L	0.00250		97.6	80-120			
<b>LCS (B9L1456-BS2)</b>				<b>Prepared &amp; Analyzed: 12/12/2019 12:18:36PM</b>						
Mercury, Total	0.00284	0.000200	mg/L	0.00250		114	80-120			
<b>Leach Fluid Blank (B9L1456-LBK1)</b>				<b>Prepared &amp; Analyzed: 12/12/2019 1:12:03PM</b>						
Mercury, Total	ND	0.000200	mg/L							
<b>Matrix Spike (B9L1456-MS1)</b>		<b>Source: C9L2121-01</b>		<b>Prepared &amp; Analyzed: 12/12/2019 11:54:23AM</b>						
Mercury, Total	0.00298	0.000200	mg/L	0.00250	0.000107	115	80-120			
<b>Matrix Spike (B9L1456-MS2)</b>		<b>Source: C9L2479-01</b>		<b>Prepared &amp; Analyzed: 12/12/2019 12:24:40PM</b>						
Mercury, Total	0.00270	0.000200	mg/L	0.00250	0.000107	104	80-120			
<b>Matrix Spike Dup (B9L1456-MSD1)</b>		<b>Source: C9L2121-01</b>		<b>Prepared &amp; Analyzed: 12/12/2019 11:56:24AM</b>						
Mercury, Total	0.00280	0.000200	mg/L	0.00250	0.000107	108	80-120	6.22	20	
<b>Matrix Spike Dup (B9L1456-MSD2)</b>		<b>Source: C9L2479-01</b>		<b>Prepared &amp; Analyzed: 12/12/2019 12:26:42PM</b>						
Mercury, Total	0.00254	0.000200	mg/L	0.00250	0.000107	97.4	80-120	6.10	20	
<b>Batch B9L1498 - No Prep Micro</b>										
<b>Blank (B9L1498-BLK1)</b>				<b>Prepared &amp; Analyzed: 12/11/2019 4:40:00PM</b>						
E coli IDEXX	ND		1 mpn/100ml							
<b>Duplicate (B9L1498-DUP1)</b>		<b>Source: C9L2375-01</b>		<b>Prepared &amp; Analyzed: 12/11/2019 4:40:00PM</b>						
E coli IDEXX	ND		2 mpn/100ml		ND				200	
<b>Batch B9L1571 - No Prep</b>										
<b>Blank (B9L1571-BLK1)</b>				<b>Prepared &amp; Analyzed: 12/12/2019 3:37:00PM</b>						
TSS	ND		1.0 mg/L							
<b>Duplicate (B9L1571-DUP1)</b>		<b>Source: C9L2364-01</b>		<b>Prepared &amp; Analyzed: 12/12/2019 3:37:00PM</b>						
TSS	154	1.0	mg/L		152			1.31	10	

Eastex Environmental Laboratory - Coldspring

*The results in this report apply to the samples analyzed in accordance with the chain of custody document.  
 This analytical report must be reproduced in its entirety.*

\*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**SM 2540 D - Quality Control**  
**Eastex Environmental Laboratory - Coldspring**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	Limits	RPD	RPD Limit	Notes
<b>Batch B9L1571 - No Prep</b>										
<b>Batch B9L1602 - No Prep- Organic</b>										
<b>Blank (B9L1602-BLK1) Prepared &amp; Analyzed: 12/12/2019 3:40:00PM</b>										
TPH (>C6 - C12)	ND	2.00	mg/L							
TPH (>C12 - C28)	ND	2.00	mg/L							
TPH (>C28 - C35)	ND	5.00	mg/L							
Total TPH (>C6-C35)	ND	5.00	mg/L							
Surrogate: 1-Chlorooctane	27.0		mg/L	33.3		80.9	70-130			
Surrogate: o-Tei phenyl	23.1		mg/L	33.3		69.4	70-130			52
<b>LCS (B9L1602-BS1) Prepared &amp; Analyzed: 12/12/2019 4:25:00PM</b>										
TPH (>C6 - C12)	28.9	2.00	mg/L	33.3		86.7	70-130			
TPH (>C12 - C28)	30.4	2.00	mg/L	33.3		91.4	70-130			
TPH (>C28 - C35)	53.8	5.00	mg/L	66.7		80.7	70-130			
Surrogate: 1-Chlorooctane	29.8		mg/L	33.3		89.5	70-130			
Surrogate: o-Tei phenyl	26.0		mg/L	33.3		78.1	70-130			
<b>Matrix Spike (B9L1602-MS1) Source: C9L2902-01 Prepared &amp; Analyzed: 12/12/2019 5:56:00PM</b>										
TPH (>C6 - C12)	29.1	2.00	mg/L	33.3	ND	87.2	70-130			
TPH (>C12 - C28)	32.3	2.00	mg/L	33.3	ND	96.9	70-130			12
TPH (>C28 - C35)	43.5	5.00	mg/L	66.7	ND	65.2	70-130			12, 23
Surrogate: 1-Chlorooctane	29.6		mg/L	33.3		88.7	70-130			
Surrogate: o-Tei phenyl	26.1		mg/L	33.3		78.3	70-130			
<b>Matrix Spike Dup (B9L1602-MSD1) Source: C9L2902-01 Prepared &amp; Analyzed: 12/12/2019 6:41:00PM</b>										
TPH (>C6 - C12)	22.8	2.00	mg/L	33.3	ND	68.3	70-130	24.3	25	23
TPH (>C12 - C28)	24.1	2.00	mg/L	33.3	ND	72.2	70-130	29.2	25	12, 53
TPH (>C28 - C35)	26.0	5.00	mg/L	66.7	ND	39.1	70-130	50.1	25	12, 23, 53
Surrogate: 1-Chlorooctane	20.6		mg/L	33.3		62.0	70-130			52
Surrogate: o-Tei phenyl	17.4		mg/L	33.3		52.2	70-130			52
<b>Batch B9L1864 - EPA 200.8</b>										
<b>Blank (B9L1864-BLK1) Prepared &amp; Analyzed: 12/16/2019 5:39:03PM</b>										
Arsenic, Total	ND	0.000500	mg/L							
Barium, Total	ND	0.00300	mg/L							
Cadmium, Total	ND	0.00100	mg/L							
Chromium, Total	ND	0.00300	mg/L							

Eastex Environmental Laboratory - Coldspring

*The results in this report apply to the samples analyzed in accordance with the chain of custody document.  
 This analytical report must be reproduced in its entirety.*

\*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**EPA 200.8 - Quality Control**  
**Eastex Environmental Laboratory - Coldspring**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch B9L1864 - EPA 200.8</b>										
<b>Blank (B9L1864-BLK1)</b>				<b>Prepared &amp; Analyzed: 12/16/2019 5:39:03PM</b>						
Lead, Total	ND	0.000500	mg/L							
Selenium, Total	ND	0.00500	mg/L							
Silver, Total	ND	0.000500	mg/L							
<b>Blank (B9L1864-BLK2)</b>				<b>Prepared &amp; Analyzed: 12/16/2019 7:10:14PM</b>						
Lead, Total	ND	0.000500	mg/L							
<b>LCS (B9L1864-BS1)</b>				<b>Prepared &amp; Analyzed: 12/16/2019 5:48:16PM</b>						
Arsenic, Total	0.101	0.000500	mg/L	0.100		101	85-115			
Barium, Total	0.102	0.00300	mg/L	0.100		102	85-115			
Cadmium, Total	0.100	0.00100	mg/L	0.100		100	85-115			
Chromium, Total	0.0971	0.00300	mg/L	0.100		97.1	85-115			
Lead, Total	0.102	0.000500	mg/L	0.100		102	85-115			
Selenium, Total	0.0994	0.00500	mg/L	0.100		99.4	85-115			
Silver, Total	0.102	0.000500	mg/L	0.100		102	85-115			
<b>LCS (B9L1864-BS2)</b>				<b>Prepared &amp; Analyzed: 12/16/2019 7:14:50PM</b>						
Lead, Total	0.0954	0.000500	mg/L	0.100		95.4	85-115			
<b>Matrix Spike (B9L1864-MS1)</b>				<b>Source: C9L2243-01</b>		<b>Prepared &amp; Analyzed: 12/16/2019 6:01:51PM</b>				
Arsenic, Total	0.0794	0.000500	mg/L	0.100	0.00152	77.8	70-130			
Barium, Total	0.123	0.00300	mg/L	0.100	0.0487	74.5	70-130			
Cadmium, Total	0.0767	0.00100	mg/L	0.100	ND	76.7	70-130			
Chromium, Total	0.0748	0.00300	mg/L	0.100	0.000231	74.5	70-130			
Lead, Total	0.0784	0.000500	mg/L	0.100	0.000127	78.3	70-130			
Selenium, Total	0.0785	0.00500	mg/L	0.100	ND	78.5	70-130			
Silver, Total	0.0779	0.000500	mg/L	0.100	ND	77.9	70-130			
<b>Matrix Spike (B9L1864-MS2)</b>				<b>Source: C9L2351-01</b>		<b>Prepared &amp; Analyzed: 12/16/2019 7:28:27PM</b>				
Lead, Total	0.0839	0.000500	mg/L	0.100	0.000360	83.6	70-130			
<b>Matrix Spike Dup (B9L1864-MSD1)</b>				<b>Source: C9L2243-01</b>		<b>Prepared &amp; Analyzed: 12/16/2019 6:06:16PM</b>				
Arsenic, Total	0.0908	0.000500	mg/L	0.100	0.00152	89.2	70-130	13.4	20	
Barium, Total	0.140	0.00300	mg/L	0.100	0.0487	91.4	70-130	12.9	20	
Cadmium, Total	0.0878	0.00100	mg/L	0.100	ND	87.8	70-130	13.4	20	
Chromium, Total	0.0867	0.00300	mg/L	0.100	0.000231	86.5	70-130	14.8	20	
Lead, Total	0.0902	0.000500	mg/L	0.100	0.000127	90.1	70-130	14.0	20	
Selenium, Total	0.0876	0.00500	mg/L	0.100	ND	87.6	70-130	10.9	20	

Eastex Environmental Laboratory - Coldspring

*The results in this report apply to the samples analyzed in accordance with the chain of custody document.  
 This analytical report must be reproduced in its entirety.*

\*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**EPA 200.8 - Quality Control**  
**Eastex Environmental Laboratory - Coldspring**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch B9L1864 - EPA 200.8</b>										
<b>Matrix Spike Dup (B9L1864-MSD1)</b>		<b>Source: C9L2243-01</b>			<b>Prepared &amp; Analyzed: 12/16/2019 6:06:16PM</b>					
Silver, Total	0.0901	0.000500	mg/L	0.100	ND	90.1	70-130	14.6	20	
<b>Matrix Spike Dup (B9L1864-MSD2)</b>		<b>Source: C9L2351-01</b>			<b>Prepared &amp; Analyzed: 12/16/2019 7:32:52PM</b>					
Lead, Total	0.0833	0.000500	mg/L	0.100	0.000360	82.9	70-130	0.746	20	
<b>Batch B9L1899 - No Prep</b>										
<b>Blank (B9L1899-BLK1)</b>					<b>Prepared &amp; Analyzed: 12/16/2019 3:32:00PM</b>					
Ammonia as N	ND	0.1	mg/L							
<b>LCS (B9L1899-BS1)</b>					<b>Prepared &amp; Analyzed: 12/16/2019 3:28:00PM</b>					
Ammonia as N	2.19		mg/L	2.00		110	90-110			
<b>LCS Dup (B9L1899-BSD1)</b>					<b>Prepared &amp; Analyzed: 12/16/2019 3:26:00PM</b>					
Ammonia as N	2.18		mg/L	2.00		109	90-110	0.548	20	
<b>MRL Check (B9L1899-MRL1)</b>					<b>Prepared &amp; Analyzed: 12/17/2019 6:29:00AM</b>					
Ammonia as N	0.121		mg/L	0.100		121	0-200			
<b>Matrix Spike (B9L1899-MS1)</b>		<b>Source: C9L2885-01</b>			<b>Prepared &amp; Analyzed: 12/16/2019 3:34:00PM</b>					
Ammonia as N	2.7	0.1	mg/L	2.50	0.1	102	80-120			
<b>Batch B9L1966 - No Prep</b>										
<b>Blank (B9L1966-BLK1)</b>					<b>Prepared &amp; Analyzed: 12/16/2019 8:30:00AM</b>					
Nitrate+Nitrite as N	ND	0.02	mg/L							
<b>LCS (B9L1966-BS1)</b>					<b>Prepared &amp; Analyzed: 12/16/2019 8:30:00AM</b>					
Nitrate+Nitrite as N	1.04		mg/L	1.00		104	90-110			
<b>LCS Dup (B9L1966-BSD1)</b>					<b>Prepared &amp; Analyzed: 12/16/2019 8:30:00AM</b>					
Nitrate+Nitrite as N	1.04		mg/L	1.00		104	90-110	0.00	20	
<b>MRL Check (B9L1966-MRL1)</b>					<b>Prepared &amp; Analyzed: 12/16/2019 8:30:00AM</b>					
Nitrate+Nitrite as N	0.0190		mg/L	0.0200		95.0	0-200			
<b>Matrix Spike (B9L1966-MS1)</b>		<b>Source: C9L1828-02</b>			<b>Prepared &amp; Analyzed: 12/16/2019 8:30:00AM</b>					
Nitrate+Nitrite as N	1.12	0.02	mg/L	1.00	0.0200	110	80-120			
<b>Batch B9L2776 - EPA 200.7</b>										

Eastex Environmental Laboratory - Coldspring

*The results in this report apply to the samples analyzed in accordance with the chain of custody document.  
 This analytical report must be reproduced in its entirety.*

\*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**EPA 200.7 - Quality Control**  
**Eastex Environmental Laboratory - Coldspring**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC Limits	RPD RPD	RPD Limit	Notes
<b>Batch B9L2776 - EPA 200.7</b>									
<b>Blank (B9L2776-BLK1)</b>					<b>Prepared &amp; Analyzed: 12/23/2019 1:55:04PM</b>				
Total Phosphorus	ND	0.0600	mg/L						
<b>Blank (B9L2776-BLK2)</b>					<b>Prepared &amp; Analyzed: 12/23/2019 2:54:08PM</b>				
Total Phosphorus	ND	0.0600	mg/L						
<b>LCS (B9L2776-BS1)</b>					<b>Prepared &amp; Analyzed: 12/23/2019 3:36:19PM</b>				
Total Phosphorus	2.41	0.0600	mg/L	2.52		95.8 85-115			
<b>LCS (B9L2776-BS2)</b>					<b>Prepared &amp; Analyzed: 12/23/2019 3:46:43PM</b>				
Total Phosphorus	2.40	0.0600	mg/L	2.52		95.2 85-115			
<b>LCS Dup (B9L2776-BSD1)</b>					<b>Prepared &amp; Analyzed: 12/23/2019 3:39:46PM</b>				
Total Phosphorus	2.41	0.0600	mg/L	2.52		95.8 85-115	0.0282	20	
<b>LCS Dup (B9L2776-BSD2)</b>					<b>Prepared &amp; Analyzed: 12/23/2019 3:50:11PM</b>				
Total Phosphorus	2.54	0.0600	mg/L	2.52		101 85-115	5.86	20	
<b>MRL Check (B9L2776-MRL1)</b>					<b>Prepared &amp; Analyzed: 12/23/2019 3:32:49PM</b>				
Total Phosphorus	0.0651		mg/L	0.0600		109 0-200			
<b>Matrix Spike (B9L2776-MS1)</b>					<b>Source: C9L1828-01 Prepared &amp; Analyzed: 12/23/2019 2:12:27PM</b>				
Total Phosphorus	2.32	0.0600	mg/L	2.52	0.0777	88.8 70-130			
<b>Matrix Spike (B9L2776-MS2)</b>					<b>Source: C9L2887-01 Prepared &amp; Analyzed: 12/23/2019 3:11:30PM</b>				
Total Phosphorus	2.42	0.0600	mg/L	2.52	0.0385	94.5 70-130			



P.O. Box 1089 Coldspring Tx 77331  
Website: eastexlabs.com  
Email: eastexlab@eastex.net  
Tel: 936 653 3249



Texas A and M AgriLife  
1335 Regents Park Dr. Ste. 260  
Houston TX, 77058

### Notes and Definitions

- 53 RPD Recovery outside acceptance limits due to matrix interference.
- 52 Surrogate recovery outside of acceptance limits due to matrix interference.
- 25 Residue not in the method range of 2.5-200 mg.
- 23 Spike recovery outside of acceptance limits due to matrix interference.
- 12 CCV associated with sample batch did not meet acceptance criteria.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference





**EASTEX ENVIRONMENTAL LABORATORY, INC.**

P.O. Box 1089 \* Coldspring, TX 77331 P.O. Box 631375 \* Nacogdoches, TX 75963-1375  
(936) 653-3249 \* (800) 525-0508 (936) 569-8879 \* FAX (936) 569-8951

White Copy-Follows Samples  
Yellow Copy-Laboratory  
Pink Copy-Client Copy

www.eastexlabs.com

**REPORT TO:** Christie Taylor  
**Company:** AgriLife Ext. Serv.  
**Address:** 1335 Regents Park Dr. # 260  
Houston TX 77058  
**Attn:** Christie Taylor  
**Phone#:** 979-399-4009  
**Email:** ctaylor@tamu.edu  
**P.O. #:**

**INVOICE TO:** Christie Taylor  
**Company:** AgriLife Ext. Serv.  
**Address:** 1335 Regents Park Dr. # 260  
Houston TX 77058  
**Attn:** Christie Taylor  
**Phone#:** 979-399-4009

**REMARKS:**

**INSTRUCTIONS:**  
C = Composite G = Grab  
Matrix: DW=Drinking Water WW=Wastewater SO=Soil/Sludge OT= Other  
Container Size: 1=Gallon 2=1/2 Gallon 3=Quart/Liter 4=500mL 5=250mL  
6=125mL (4oz) 7=60mL (2 oz) 8= 40mL Vial 9=Other  
Type: P= Plastic G= Glass T= Teflon S= Sterile  
Preservatives: C=Chilled S=Sulfuric Acid N=Nitric Acid B=Base/Caustic Z= Zn Acetate  
ST= Sodium Thiosulfate H=HCL O= Other

**Sampler's Name (print):** Christie Taylor  
**Sampler's Signature:** Christie Taylor  
**Project Name:** ICWP stormwater sampling

ANALYSIS REQUESTED
TSS
Total Phosphate
E. coli
NO <sub>2</sub> +NO <sub>3</sub>
NH <sub>3</sub> N
RCRA metals
TPH

Work Order ID	Sample ID	Date	Field Data			Containers						
			Time	Matrix	C or G	DO	pH	Flow	Temp	#	Size	Type
L2886	UTRP102-5	12-10-19	13:35	OT	C	8.8	8.51	14.1	3	P	C	X
									1	5	P	C/N
									1	9	P/S	C/B
									1	4	P	C/A
									1	4	P	C/A
									1	4	P	C/N
									3	8	P	A

**Relinquished By:** Christie Taylor  
**Received By:** [Signature]  
**Date:** 12-11-19  
**Time:** 1:00

**Relinquished By:** [Signature]  
**Received By:** [Signature]  
**Date:** 12-11-19  
**Time:** 1:00

**Relinquished By:** [Signature]  
**Received By:** [Signature]  
**Date:** 12/19/19  
**Time:** 1:00

**LAB USE ONLY**  
**Sample Condition Acceptable:** YES / NO  
**Temp. C:** 22  
**Temp. F:** 72  
**Therm ID:** 15  
**Logged In By:** [Signature]

**Received Iced:** YES / NO  
**Received Iced:** YES / NO  
**Received Iced:** YES / NO

\*Thermometer has 0.0 factor and recorded temperature is actual temperature