



P.O. Box 1089 Coldspring Tx 77331  
Website: eastexlabs.com  
Email: eastexlab@eastex.net  
Tel: 936 653 3249



May 07, 2020

Texas A&M Agrilife  
Texas A and M AgriLife  
1335 Regents Park Dr. Ste. 260  
Houston, TX 77058

**TX A and M Community Stormwater**

Enclosed are the results of analyses for samples received by the laboratory on 04/29/20 15:35, with Lab ID Number C0D6146. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Mark Bourgeois".

---

Mark Bourgeois  
Special Projects Manager



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**LABORATORY ANALYTICAL REPORT**

Project: TX A and M Community Stormwater  
 Sample Matrix: Water  
 Client Matrix: Water

Sample Date & Time: 04/29/2020 10:23  
 Collector: CT  
 Sample Type: Grab  
 Print Date: 5/7/2020

**PTWB 301-1  
 C0D6146-01 (Water)**

| Analyte                           | Result  | Reporting Limit | Units     | Nelac Status | Batch   | Analyzed Date & Time | Method        | Notes |
|-----------------------------------|---------|-----------------|-----------|--------------|---------|----------------------|---------------|-------|
| <b><u>Metals</u></b>              |         |                 |           |              |         |                      |               |       |
| Total Phosphorus                  | <0.0600 | 0.0600          | mg/L      | A            | B0D3861 | 04/30/2020 19:04     | EPA 200.7     |       |
| <b><u>Microbiological Lab</u></b> |         |                 |           |              |         |                      |               |       |
| E coli IDEXX                      | 161     | 10              | mpn/100ml | A            | B0D3949 | 04/29/2020 15:48     | Colilert 18   |       |
| <b><u>Wet Lab</u></b>             |         |                 |           |              |         |                      |               |       |
| Ammonia as N                      | 0.1     | 0.1             | mg/L      | A            | B0E0406 | 05/05/2020 16:27     | SM 4500 NH3 G |       |
| Nitrate+Nitrite as N              | 1.17    | 0.02            | mg/L      | A            | B0E0204 | 05/04/2020 14:40     | SM 4500 NO3 F |       |
| TSS                               | 7.3     | 1.0             | mg/L      | A            | B0D3874 | 04/30/2020 13:43     | SM 2540 D     |       |



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**EPA 200.7 - Quality Control**  
**Eastex Environmental Laboratory - Coldspring**

| Analyte                           | Result | Reporting Limit | Units | Spike Level   | Source Result | %REC %REC  | Limits | RPD  | RPD Limit | Notes |
|-----------------------------------|--------|-----------------|-------|---|---------------|--|--------|------|-----------|-------|
| <b>Batch B0D3861 - EPA 200.7</b>  |        |                 |       |   |               |  |        |      |           |       |
| <b>Blank (B0D3861-BLK1)</b>       |        |                 |       | <b>Prepared &amp; Analyzed: 4/30/2020 4:35:30PM</b> |               |  |        |      |           |       |
| Total Phosphorus                  | ND     | 0.0600          | mg/L  |   |               |  |        |      |           |       |
| <b>Blank (B0D3861-BLK2)</b>       |        |                 |       | <b>Prepared &amp; Analyzed: 4/30/2020 5:34:34PM</b> |               |  |        |      |           |       |
| Total Phosphorus                  | ND     | 0.0600          | mg/L  |   |               |  |        |      |           |       |
| <b>Blank (B0D3861-BLK3)</b>       |        |                 |       | <b>Prepared &amp; Analyzed: 4/30/2020 6:33:35PM</b> |               |  |        |      |           |       |
| Total Phosphorus                  | ND     | 0.0600          | mg/L  |   |               |  |        |      |           |       |
| <b>LCS (B0D3861-BS1)</b>          |        |                 |       | <b>Prepared &amp; Analyzed: 4/30/2020 4:38:59PM</b> |               |  |        |      |           |       |
| Total Phosphorus                  | 2.59   | 0.0600          | mg/L  | 2.52  |               | 103  | 85-115 |      |           |       |
| <b>LCS (B0D3861-BS2)</b>          |        |                 |       | <b>Prepared &amp; Analyzed: 4/30/2020 5:38:02PM</b> |               |  |        |      |           |       |
| Total Phosphorus                  | 2.68   | 0.0600          | mg/L  | 2.52  |               | 106  | 85-115 |      |           |       |
| <b>LCS (B0D3861-BS3)</b>          |        |                 |       | <b>Prepared &amp; Analyzed: 4/30/2020 6:37:03PM</b> |               |  |        |      |           |       |
| Total Phosphorus                  | 2.66   | 0.0600          | mg/L  | 2.52  |               | 105  | 85-115 |      |           |       |
| <b>LCS Dup (B0D3861-BSD1)</b>     |        |                 |       | <b>Prepared &amp; Analyzed: 4/30/2020 4:42:28PM</b> |               |  |        |      |           |       |
| Total Phosphorus                  | 2.56   | 0.0600          | mg/L  | 2.52  |               | 101  | 85-115 | 1.41 | 20        |       |
| <b>LCS Dup (B0D3861-BSD2)</b>     |        |                 |       | <b>Prepared &amp; Analyzed: 4/30/2020 5:41:29PM</b> |               |  |        |      |           |       |
| Total Phosphorus                  | 2.74   | 0.0600          | mg/L  | 2.52  |               | 109  | 85-115 | 2.30 | 20        |       |
| <b>LCS Dup (B0D3861-BSD3)</b>     |        |                 |       | <b>Prepared &amp; Analyzed: 4/30/2020 6:40:31PM</b> |               |  |        |      |           |       |
| Total Phosphorus                  | 2.76   | 0.0600          | mg/L  | 2.52  |               | 110  | 85-115 | 3.98 | 20        |       |
| <b>MRL Check (B0D3861-MRL1)</b>   |        |                 |       | <b>Prepared &amp; Analyzed: 4/30/2020 4:32:01PM</b> |               |  |        |      |           |       |
| Total Phosphorus                  | 0.0595 |                 | mg/L  | 0.0600  |               | 99.2   | 0-200  |      |           |       |
| <b>Matrix Spike (B0D3861-MS1)</b> |        |                 |       | <b>Source: C0D4603-04</b>                           |               | <b>Prepared &amp; Analyzed: 5/1/2020 7:40:26AM</b> |        |      |           |       |
| Total Phosphorus                  | 2.34   | 0.0600          | mg/L  | 2.52  | 0.0538        | 90.7   | 70-130 |      |           |       |
| <b>Matrix Spike (B0D3861-MS2)</b> |        |                 |       | <b>Source: C0D4943-03</b>                           |               | <b>Prepared &amp; Analyzed: 5/1/2020 7:43:55AM</b> |        |      |           |       |
| Total Phosphorus                  | 2.38   | 0.0600          | mg/L  | 2.52  | 0.108         | 90.2   | 70-130 |      |           |       |
| <b>Matrix Spike (B0D3861-MS3)</b> |        |                 |       | <b>Source: C0D5830-02</b>                           |               | <b>Prepared &amp; Analyzed: 5/1/2020 7:47:24AM</b> |        |      |           |       |
| Total Phosphorus                  | 3.21   | 0.0600          | mg/L  | 2.52  | 1.07          | 84.9   | 70-130 |      |           |       |
| <b>Batch B0D3874 - No Prep</b>    |        |                 |       |   |               |  |        |      |           |       |
| <b>Blank (B0D3874-BLK1)</b>       |        |                 |       | <b>Prepared &amp; Analyzed: 4/30/2020 1:43:00PM</b> |               |  |        |      |           |       |

Eastex Environmental Laboratory - Coldspring

*The results in this report apply to the samples analyzed in accordance with the chain of custody document.  
 This analytical report must be reproduced in its entirety.*

\*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**SM 2540 D - Quality Control**  
**Eastex Environmental Laboratory - Coldspring**

| Analyte                              | Result | Reporting Limit | Units     | Spike Level | Source Result  | %REC %REC | Limits | RPD  | RPD Limit | Notes |
|--------------------------------------|--------|-----------------|-----------|-------------|--|-----------|--------|------|-----------|-------|
| <b>Batch B0D3874 - No Prep</b>       |        |                 |           |             |  |           |        |      |           |       |
| <b>Blank (B0D3874-BLK1)</b>          |        |                 |           |             | <b>Prepared &amp; Analyzed: 4/30/2020 1:43:00PM</b>                    |           |        |      |           |       |
| TSS                                  | ND     | 1.0             | mg/L      |             |  |           |        |      |           |       |
| <b>Duplicate (B0D3874-DUP1)</b>      |        |                 |           |             | <b>Source: C0D5647-01 Prepared &amp; Analyzed: 4/30/2020 1:43:00PM</b> |           |        |      |           |       |
| TSS                                  | 82.0   | 1.0             | mg/L      |             | 78.0   |           |        | 5.00 | 10        |       |
| <b>Batch B0D3949 - No Prep Micro</b> |        |                 |           |             |  |           |        |      |           |       |
| <b>Blank (B0D3949-BLK1)</b>          |        |                 |           |             | <b>Prepared &amp; Analyzed: 4/29/2020 3:48:00PM</b>                    |           |        |      |           |       |
| E coli IDEXX                         | ND     | 1               | mpn/100ml |             |  |           |        |      |           |       |
| <b>Duplicate (B0D3949-DUP1)</b>      |        |                 |           |             | <b>Source: C0D5676-01 Prepared &amp; Analyzed: 4/29/2020 3:48:00PM</b> |           |        |      |           |       |
| E coli IDEXX                         | ND     | 2               | mpn/100ml |             | ND   |           |        |      | 200       |       |
| <b>Batch B0E0204 - No Prep</b>       |        |                 |           |             |  |           |        |      |           |       |
| <b>Blank (B0E0204-BLK1)</b>          |        |                 |           |             | <b>Prepared &amp; Analyzed: 5/4/2020 2:40:00PM</b>                     |           |        |      |           |       |
| Nitrate+Nitrite as N                 | ND     | 0.02            | mg/L      |             |  |           |        |      |           |       |
| <b>LCS (B0E0204-BS1)</b>             |        |                 |           |             | <b>Prepared &amp; Analyzed: 5/4/2020 2:40:00PM</b>                     |           |        |      |           |       |
| Nitrate+Nitrite as N                 | 0.900  |                 | mg/L      | 1.00        |  | 90.0      | 90-110 |      |           |       |
| <b>LCS Dup (B0E0204-BSD1)</b>        |        |                 |           |             | <b>Prepared &amp; Analyzed: 5/4/2020 2:40:00PM</b>                     |           |        |      |           |       |
| Nitrate+Nitrite as N                 | 0.970  |                 | mg/L      | 1.00        |  | 97.0      | 90-110 | 7.49 | 20        |       |
| <b>MRL Check (B0E0204-MRL1)</b>      |        |                 |           |             | <b>Prepared &amp; Analyzed: 5/4/2020 2:40:00PM</b>                     |           |        |      |           |       |
| Nitrate+Nitrite as N                 | 0.0200 |                 | mg/L      | 0.0200      |  | 100       | 0-200  |      |           |       |
| <b>Matrix Spike (B0E0204-MS1)</b>    |        |                 |           |             | <b>Source: C0D6145-01 Prepared &amp; Analyzed: 5/4/2020 2:40:00PM</b>  |           |        |      |           |       |
| Nitrate+Nitrite as N                 | 3.57   | 0.02            | mg/L      | 1.00        | 2.73   | 83.3      | 80-120 |      |           |       |
| <b>Batch B0E0406 - No Prep</b>       |        |                 |           |             |  |           |        |      |           |       |
| <b>Blank (B0E0406-BLK1)</b>          |        |                 |           |             | <b>Prepared &amp; Analyzed: 5/5/2020 4:20:00PM</b>                     |           |        |      |           |       |
| Ammonia as N                         | ND     | 0.1             | mg/L      |             |  |           |        |      |           |       |
| <b>LCS (B0E0406-BS1)</b>             |        |                 |           |             | <b>Prepared &amp; Analyzed: 5/5/2020 4:18:00PM</b>                     |           |        |      |           |       |
| Ammonia as N                         | 1.97   |                 | mg/L      | 2.00        |  | 98.4      | 90-110 |      |           |       |
| <b>LCS Dup (B0E0406-BSD1)</b>        |        |                 |           |             | <b>Prepared &amp; Analyzed: 5/5/2020 4:08:00PM</b>                     |           |        |      |           |       |
| Ammonia as N                         | 2.20   |                 | mg/L      | 2.00        |  | 110       | 90-110 | 11.3 | 20        |       |

Eastex Environmental Laboratory - Coldspring

*The results in this report apply to the samples analyzed in accordance with the chain of custody document.  
 This analytical report must be reproduced in its entirety.*

\*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**SM 4500 NH3 G - Quality Control**  
**Eastex Environmental Laboratory - Coldspring**

| Analyte                           | Result | Reporting Limit | Units | Spike Level   | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|-----------------------------------|--------|-----------------|-------|---|---------------|------|-------------|-----|-----------|-------|
| <b>Batch B0E0406 - No Prep</b>    |        |                 |       |   |               |      |             |     |           |       |
| <b>MRL Check (B0E0406-MRL1)</b>   |        |                 |       | <b>Prepared &amp; Analyzed: 5/5/2020 4:10:00PM</b>                    |               |      |             |     |           |       |
| Ammonia as N                      | 0.0990 |                 | mg/L  | 0.100   |               | 99.0 | 0-200       |     |           |       |
| <b>Matrix Spike (B0E0406-MS1)</b> |        |                 |       | <b>Source: C0D5830-01 Prepared &amp; Analyzed: 5/5/2020 4:12:00PM</b> |               |      |             |     |           |       |
| Ammonia as N                      | 2.8    | 0.1             | mg/L  | 2.50  | 0.02          | 113  | 80-120      |     |           |       |



P.O. Box 1089 Coldspring Tx 77331  
Website: eastexlabs.com  
Email: eastexlab@eastex.net  
Tel: 936 653 3249



Texas A and M AgriLife  
1335 Regents Park Dr. Ste. 260  
Houston TX, 77058

### Notes and Definitions

|     |  |
|-----|--|
| DET | Analyte DETECTED                                     |
| ND  | Analyte NOT DETECTED at or above the reporting limit |
| NR  | Not Reported   |
| dry | Sample results reported on a dry weight basis        |
| RPD | Relative Percent Difference                          |



**EASTEX ENVIRONMENTAL LABORATORY, INC.**  
 P. O. Box 1089 • Colde Spring, TX 77331  
 (936) 653-3249 • (800) 525-0508  
 P. O. Box 631375 • Nacogdoches, TX 75963-1375  
 (936) 569-8879 • FAX (936) 569-8951  
 www.eastexlabs.com

White Copy-Follows Samples  
 Yellow Copy-Laboratory  
 Pink Copy-Client Copy

REPORT TO: *Christie Taylor*

INVOICE TO: *Christie Taylor*

Company: *TruP Agrilife*

Company: *TruP Agrilife*

Address: *1335 Regents Park Suite 200*

Address: *1335 Regents Park Suite 200*

City: *Houston TX 77058*

City: *Houston TX 77058*

Attn: \_\_\_\_\_

Attn: \_\_\_\_\_

Phone#: *979-399-4029*

Phone#: *979-399-4029*

Email: *ctaylor@truw.edu*

INSTRUCTIONS:

P.O. #: \_\_\_\_\_

C or G: C=Composite G=Grab  
 DW=Drinking Water WW=Wastewater SO=Soil/Sludge OT=Other

Sampler's Name (print): *Christie Taylor*

Container Size: 1=Gallon 2=1/2 Gallon 3=Quart/Liter 4=500mL 5=250mL  
 6=125mL (4oz) 7=60mL (2 oz) 8=40mL Vial 9=Other

Sampler's Signature: *Christie Taylor*

Type: P=Plastic G=Glass T=Teflon S=Stainless  
 Preservatives: C=Chilled S=Sulfuric Acid N=Nitric Acid B=Base/Caustic Z=Zn Acetate  
 ST=Sodium Thiosulfate H-HCL O=Other

Project Name: *TruP Stormwater Sampling*

Work Order ID: \_\_\_\_\_

Field Data

Containers

Sample ID: *FW03 301-1*

Time Matrix

C or G DO pH C12 Flow Temp # Size Type Pres

Date: *4/27/10*

Time: *10:23*

Matrix: *W* C *8.8* *8.33* *-* *-* *202* *1* *3* *0* *C*

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

Matrix: \_\_\_\_\_ C \_\_\_\_\_ DO \_\_\_\_\_ pH \_\_\_\_\_ C12 \_\_\_\_\_ Flow \_\_\_\_\_ Temp \_\_\_\_\_ # \_\_\_\_\_ Size \_\_\_\_\_ Type \_\_\_\_\_ Pres \_\_\_\_\_

ANALYSIS REQUESTED

|                        |  |
|------------------------|--|
| <i>TSS</i>             |  |
| <i>Total phosphate</i> |  |
| <i>E coli</i>          |  |
| <i>NO2 + NO3</i>       |  |
| <i>NH3N</i>            |  |

Relinquished By: *Christie Taylor*

Received By: *Christie Taylor*

Date: *4/29/10*

Time: *1:50*

Received Iced: YES / NO

Relinquished By: *Christie Taylor*

Received By: *Christie Taylor*

Date: *4/29/10*

Time: *1:55*

Received Iced: YES / NO

LAB USE ONLY

Sample Condition Acceptable: YES / NO

Date: *4/30*

Temp C: *15*

Time: *15*

Received Iced: YES / NO

\*Thermometer has 0.0 factor and recorded temperature is actual temperature