



P.O. Box 1089 Coldspring Tx 77331  
Website: eastexlabs.com  
Email: eastexlab@eastex.net  
Tel: 936 653 3249



June 11, 2020

Texas A&M Agrilife  
Texas A and M AgriLife  
1335 Regents Park Dr. Ste. 260  
Houston, TX 77058

**TX A and M Community Stormwater**

Enclosed are the results of analyses for samples received by the laboratory on 05/16/20 12:45, with Lab ID Number C0E3379. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Mark Bourgeois  
Special Projects Manager



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**LABORATORY ANALYTICAL REPORT**

Project: TX A and M Community Stormwater  
 Sample Matrix: Water  
 Client Matrix: Water

Sample Date & Time: 05/15/2020 20:23  
 Collector: CT  
 Sample Type: Grab  
 Print Date: 6/11/2020

**PTWB 301-3  
 C0E3379-01 (Water)**

Analyte	Result	Reporting Limit	Units	Nelac Status	Batch	Analyzed Date & Time	Method	Notes
---------	--------	-----------------	-------	--------------	-------	----------------------	--------	-------

**Metals**

Arsenic, Total	0.000980	0.000500	mg/L	A	B0E2092	05/18/2020 22:47	EPA 200.8	
Barium, Total	0.00996	0.00300	mg/L	A	B0E2092	05/18/2020 22:47	EPA 200.8	
Cadmium, Total	<0.00100	0.00100	mg/L	A	B0E2092	05/18/2020 22:47	EPA 200.8	
Chromium, Total	0.00302	0.00300	mg/L	A	B0E2092	05/18/2020 22:47	EPA 200.8	
Lead, Total	<0.000500	0.000500	mg/L	A	B0E2092	05/18/2020 22:47	EPA 200.8	
Mercury, Total	<0.000200	0.000200	mg/L	A	B0E2630	05/21/2020 16:28	EPA 245.1	
Selenium, Total	<0.00500	0.00500	mg/L	A	B0E2429	05/20/2020 17:19	EPA 200.8	
Silver, Total	<0.000500	0.000500	mg/L	A	B0E2092	05/18/2020 22:47	EPA 200.8	
Total Phosphorus	<0.0600	0.0600	mg/L	A	B0F0158	06/10/2020 11:29	EPA 200.7	

**Microbiological Lab**

E coli IDEXX	1300	2	mpn/100ml	A	B0E2117	05/16/2020 13:07	Colilert 18	
--------------	------	---	-----------	---	---------	------------------	-------------	--

**Organics**

**TPH TX 1005**

TPH (>C6 - C12)	<2.00	2.00	mg/L	A	B0E1922	05/20/2020 17:14	TX 1005	
TPH (>C12 - C28)	<2.00	2.00	mg/L	A	B0E1922	05/20/2020 17:14	TX 1005	
TPH (>C28 - C35)	<5.00	5.00	mg/L	A	B0E1922	05/20/2020 17:14	TX 1005	
Total TPH (>C6-C35)	<5.00	5.00	mg/L		B0E1922	05/20/2020 17:14	TX 1005	
Surrogate: 1-Chlorooctane			116 %		70-130	B0E1922	05/20/2020 17:14	TX 1005
Surrogate: o-Terphenyl			114 %		70-130	B0E1922	05/20/2020 17:14	TX 1005

**Wet Lab**

Ammonia as N	<0.1	0.1	mg/L	A	B0E2097	05/18/2020 16:11	SM 4500 NH3 G	
Nitrate+Nitrite as N	0.13	0.02	mg/L	A	B0E3190	05/27/2020 16:30	SM 4500 NO3 F	
TSS	16.8	1.0	mg/L	A	B0E2238	05/19/2020 17:21	SM 2540 D	

Eastex Environmental Laboratory - Coldspring

The results in this report apply to the samples analyzed in accordance with the chain of custody document.

This analytical report must be reproduced in its entirety.

\*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**TX 1005 - Quality Control**  
**Eastex Environmental Laboratory - Coldspring**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch B0E1922 - No Prep- Organic**

<b>Blank (B0E1922-BLK1)</b>				<b>Prepared &amp; Analyzed: 5/15/2020 4:40:00PM</b>						
TPH (>C6 - C12)	ND	2.00	mg/L							
TPH (>C12 - C28)	ND	2.00	mg/L							
TPH (>C28 - C35)	ND	5.00	mg/L							
Total TPH (>C6-C35)	ND	5.00	mg/L							
Surrogate: 1-Chlorooctane	37.6		mg/L	33.3		113	70-130			
Surrogate: o-Terphenyl	38.6		mg/L	33.3		116	70-130			

<b>LCS (B0E1922-BS1)</b>				<b>Prepared &amp; Analyzed: 5/15/2020 6:09:00PM</b>						
TPH (>C6 - C12)	34.1	2.00	mg/L	33.3		102	70-130			
TPH (>C12 - C28)	33.3	2.00	mg/L	33.3		99.9	70-130			
TPH (>C28 - C35)	63.3	5.00	mg/L	66.7		94.9	70-130			
Surrogate: 1-Chlorooctane	39.3		mg/L	33.3		118	70-130			
Surrogate: o-Terphenyl	38.2		mg/L	33.3		115	70-130			

<b>Matrix Spike (B0E1922-MS1)</b>				<b>Source: C0E1503-01</b>		<b>Prepared &amp; Analyzed: 5/15/2020 6:54:00PM</b>				
TPH (>C6 - C12)	33.8	2.00	mg/L	33.3	ND	101	70-130			
TPH (>C12 - C28)	32.5	2.00	mg/L	33.3	ND	97.4	70-130			
TPH (>C28 - C35)	61.9	5.00	mg/L	66.7	ND	92.9	70-130			
Surrogate: 1-Chlorooctane	39.5		mg/L	33.3		118	70-130			
Surrogate: o-Terphenyl	37.8		mg/L	33.3		113	70-130			

<b>Matrix Spike Dup (B0E1922-MSD1)</b>				<b>Source: C0E1503-01</b>		<b>Prepared &amp; Analyzed: 5/15/2020 7:38:00PM</b>				
TPH (>C6 - C12)	33.7	2.00	mg/L	33.3	ND	101	70-130	0.183	25	
TPH (>C12 - C28)	32.0	2.00	mg/L	33.3	ND	96.0	70-130	1.46	25	
TPH (>C28 - C35)	61.0	5.00	mg/L	66.7	ND	91.5	70-130	1.55	25	
Surrogate: 1-Chlorooctane	38.8		mg/L	33.3		117	70-130			
Surrogate: o-Terphenyl	37.0		mg/L	33.3		111	70-130			

**Batch B0E2092 - EPA 200.8**

<b>Blank (B0E2092-BLK1)</b>				<b>Prepared &amp; Analyzed: 5/18/2020 4:21:04PM</b>						
Arsenic, Total	ND	0.000500	mg/L							
Barium, Total	ND	0.00300	mg/L							
Cadmium, Total	ND	0.00100	mg/L							
Chromium, Total	ND	0.00300	mg/L							
Lead, Total	ND	0.000500	mg/L							
Silver, Total	ND	0.000500	mg/L							

Eastex Environmental Laboratory - Coldspring *The results in this report apply to the samples analyzed in accordance with the chain of custody document.*  
*This analytical report must be reproduced in its entirety.*

\*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**EPA 200.8 - Quality Control**  
**Eastex Environmental Laboratory - Coldspring**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch B0E2092 - EPA 200.8**

**Blank (B0E2092-BLK1)**

**Prepared & Analyzed: 5/18/2020 4:21:04PM**

**LCS (B0E2092-BS1)**

**Prepared & Analyzed: 5/18/2020 4:26:15PM**

Arsenic, Total	0.109	0.000500	mg/L	0.100		109	85-115			
Barium, Total	0.101	0.003000	mg/L	0.100		101	85-115			
Cadmium, Total	0.108	0.001000	mg/L	0.100		108	85-115			
Chromium, Total	0.109	0.003000	mg/L	0.100		109	85-115			
Lead, Total	0.102	0.000500	mg/L	0.100		102	85-115			
Silver, Total	0.104	0.000500	mg/L	0.100		104	85-115			

**Matrix Spike (B0E2092-MS1)**

**Source: C0E2398-01**

**Prepared & Analyzed: 5/18/2020 4:41:37PM**

Arsenic, Total	0.110	0.000500	mg/L	0.100	0.00251	107	70-130			
Barium, Total	0.135	0.003000	mg/L	0.100	0.0469	87.7	70-130			
Cadmium, Total	0.104	0.001000	mg/L	0.100	ND	104	70-130			
Chromium, Total	0.110	0.003000	mg/L	0.100	ND	110	70-130			
Lead, Total	0.0967	0.000500	mg/L	0.100	ND	96.7	70-130			
Silver, Total	0.0983	0.000500	mg/L	0.100	ND	98.3	70-130			

**Matrix Spike Dup (B0E2092-MSD1)**

**Source: C0E2398-01**

**Prepared & Analyzed: 5/18/2020 4:46:41PM**

Arsenic, Total	0.111	0.000500	mg/L	0.100	0.00251	108	70-130	0.760	20	
Barium, Total	0.141	0.003000	mg/L	0.100	0.0469	94.3	70-130	4.78	20	
Cadmium, Total	0.105	0.001000	mg/L	0.100	ND	105	70-130	0.810	20	
Chromium, Total	0.107	0.003000	mg/L	0.100	ND	107	70-130	2.82	20	
Lead, Total	0.101	0.000500	mg/L	0.100	ND	101	70-130	4.18	20	
Silver, Total	0.0975	0.000500	mg/L	0.100	ND	97.5	70-130	0.874	20	

**Batch B0E2097 - No Prep**

**Blank (B0E2097-BLK1)**

**Prepared & Analyzed: 5/18/2020 3:49:00PM**

Ammonia as N	ND	0.1	mg/L							
--------------	----	-----	------	--	--	--	--	--	--	--

**LCS (B0E2097-BS1)**

**Prepared & Analyzed: 5/18/2020 3:47:00PM**

Ammonia as N	2.08		mg/L	2.00		104	90-110			
--------------	------	--	------	------	--	-----	--------	--	--	--

**Matrix Spike (B0E2097-MS1)**

**Source: C0E3128-01**

**Prepared & Analyzed: 5/18/2020 3:51:00PM**

Ammonia as N	2.0	0.1	mg/L	2.50	ND	80.0	80-120			
--------------	-----	-----	------	------	----	------	--------	--	--	--

**Matrix Spike Dup (B0E2097-MSD1)**

**Source: C0E3128-01**

**Prepared & Analyzed: 5/18/2020 3:53:00PM**

Ammonia as N	1.9	0.1	mg/L	2.50	ND	76.0	80-120	5.13	20	
--------------	-----	-----	------	------	----	------	--------	------	----	--

Eastex Environmental Laboratory - Coldspring

*The results in this report apply to the samples analyzed in accordance with the chain of custody document.*

*This analytical report must be reproduced in its entirety.*

\*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**Colilert 18 - Quality Control**  
**Eastex Environmental Laboratory - Coldspring**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch B0E2117 - No Prep Micro</b>										
<b>Blank (B0E2117-BLK1)</b>					<b>Prepared &amp; Analyzed: 5/16/2020 1:07:00PM</b>					
E coli IDEXX	ND	1	mpn/100ml							
<b>Duplicate (B0E2117-DUP1)</b>					<b>Source: C0E3222-01 Prepared &amp; Analyzed: 5/16/2020 1:07:00PM</b>					
E coli IDEXX	2	2	mpn/100ml		ND				200	
<b>Batch B0E2238 - No Prep</b>										
<b>Blank (B0E2238-BLK1)</b>					<b>Prepared &amp; Analyzed: 5/19/2020 5:21:00PM</b>					
TSS	ND	1.0	mg/L							
<b>Duplicate (B0E2238-DUP1)</b>					<b>Source: C0E3140-01 Prepared &amp; Analyzed: 5/19/2020 5:21:00PM</b>					
TSS	607	1.0	mg/L		590			2.79	10	
<b>Batch B0E2429 - EPA 200.8</b>										
<b>Blank (B0E2429-BLK1)</b>					<b>Prepared &amp; Analyzed: 5/20/2020 2:45:40PM</b>					
Selenium, Total	ND	0.00500	mg/L							
<b>LCS (B0E2429-BS1)</b>					<b>Prepared &amp; Analyzed: 5/20/2020 2:56:01PM</b>					
Selenium, Total	0.103	0.00500	mg/L	0.100		103	85-115			
<b>Matrix Spike (B0E2429-MS1)</b>					<b>Source: C0E3276-01 Prepared &amp; Analyzed: 5/20/2020 3:11:28PM</b>					
Selenium, Total	0.0918	0.00500	mg/L	0.100	ND	91.8	70-130			
<b>Matrix Spike Dup (B0E2429-MSD1)</b>					<b>Source: C0E3276-01 Prepared &amp; Analyzed: 5/20/2020 3:16:35PM</b>					
Selenium, Total	0.0955	0.00500	mg/L	0.100	ND	95.5	70-130	3.93	20	
<b>Batch B0E2630 - EPA 245.1</b>										
<b>Blank (B0E2630-BLK1)</b>					<b>Prepared &amp; Analyzed: 5/21/2020 4:00:00PM</b>					
Mercury, Total	ND	0.000200	mg/L							
<b>LCS (B0E2630-BS1)</b>					<b>Prepared &amp; Analyzed: 5/21/2020 4:04:02PM</b>					
Mercury, Total	0.00271	0.000200	mg/L	0.00250		108	75-115			
<b>Matrix Spike (B0E2630-MS1)</b>					<b>Source: C0E3805-01 Prepared &amp; Analyzed: 5/21/2020 4:10:06PM</b>					
Mercury, Total	0.00279	0.000200	mg/L	0.00250	0.000192	104	70-130			
<b>Matrix Spike Dup (B0E2630-MSD1)</b>					<b>Source: C0E3805-01 Prepared &amp; Analyzed: 5/21/2020 4:12:07PM</b>					
Mercury, Total	0.00273	0.000200	mg/L	0.00250	0.000192	102	70-130	2.17	20	

Eastex Environmental Laboratory - Coldspring

*The results in this report apply to the samples analyzed in accordance with the chain of custody document.*

*This analytical report must be reproduced in its entirety.*

\*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**SM 4500 NO3 F - Quality Control**  
**Eastex Environmental Laboratory - Coldspring**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch B0E3190 - No Prep</b>										
<b>Blank (B0E3190-BLK1)</b>				<b>Prepared &amp; Analyzed: 5/27/2020 4:30:00PM</b>						
Nitrate+Nitrite as N	ND	0.02	mg/L							
<b>LCS (B0E3190-BS1)</b>				<b>Prepared &amp; Analyzed: 5/27/2020 4:30:00PM</b>						
Nitrate+Nitrite as N	0.980		mg/L	1.00		98.0	90-110			
<b>Matrix Spike (B0E3190-MS1)</b>				<b>Source: C0E2505-01</b>		<b>Prepared &amp; Analyzed: 5/27/2020 4:30:00PM</b>				
Nitrate+Nitrite as N	1.26	0.02	mg/L	1.00	0.110	115	80-120			
<b>Matrix Spike Dup (B0E3190-MSD1)</b>				<b>Source: C0E2505-01</b>		<b>Prepared &amp; Analyzed: 5/27/2020 4:30:00PM</b>				
Nitrate+Nitrite as N	1.07	0.02	mg/L	1.00	0.110	96.0	80-120	16.3	20	
<b>Batch B0F0158 - EPA 200.7</b>										
<b>Blank (B0F0158-BLK1)</b>				<b>Prepared &amp; Analyzed: 6/10/2020 11:03:10AM</b>						
Total Phosphorus	ND	0.0600	mg/L							
<b>Blank (B0F0158-BLK2)</b>				<b>Prepared &amp; Analyzed: 6/10/2020 12:08:01PM</b>						
Total Phosphorus	ND	0.0600	mg/L							
<b>Blank (B0F0158-BLK3)</b>				<b>Prepared &amp; Analyzed: 6/10/2020 1:10:30PM</b>						
Total Phosphorus	ND	0.0600	mg/L							
<b>LCS (B0F0158-BS1)</b>				<b>Prepared &amp; Analyzed: 6/10/2020 11:06:37AM</b>						
Total Phosphorus	2.22	0.0600	mg/L	2.52		88.2	85-115			
<b>LCS (B0F0158-BS2)</b>				<b>Prepared &amp; Analyzed: 6/10/2020 12:14:58PM</b>						
Total Phosphorus	2.28	0.0600	mg/L	2.52		90.3	85-115			
<b>LCS (B0F0158-BS3)</b>				<b>Prepared &amp; Analyzed: 6/10/2020 1:13:59PM</b>						
Total Phosphorus	2.32	0.0600	mg/L	2.52		92.0	85-115			
<b>MRL Check (B0F0158-MRL1)</b>				<b>Prepared &amp; Analyzed: 6/10/2020 10:59:43AM</b>						
Total Phosphorus	0.0593		mg/L	0.0600		98.8	0-200			
<b>Matrix Spike (B0F0158-MS1)</b>				<b>Source: C0E3378-01</b>		<b>Prepared &amp; Analyzed: 6/10/2020 11:24:09AM</b>				
Total Phosphorus	2.20	0.0600	mg/L	2.52	0.0141	86.7	70-130			
<b>Matrix Spike (B0F0158-MS2)</b>				<b>Source: C0E4416-01</b>		<b>Prepared &amp; Analyzed: 6/10/2020 12:28:49PM</b>				
Total Phosphorus	2.23	0.0600	mg/L	2.52	0.0889	85.1	70-130			
<b>Matrix Spike (B0F0158-MS3)</b>				<b>Source: C0E5164-08</b>		<b>Prepared &amp; Analyzed: 6/10/2020 2:46:12PM</b>				

Eastex Environmental Laboratory - Coldspring

The results in this report apply to the samples analyzed in accordance with the chain of custody document.

This analytical report must be reproduced in its entirety.

\*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331  
 Website: eastexlabs.com  
 Email: eastexlab@eastex.net  
 Tel: 936 653 3249



Texas A and M AgriLife  
 1335 Regents Park Dr. Ste. 260  
 Houston TX, 77058

**EPA 200.7 - Quality Control**  
**Eastex Environmental Laboratory - Coldspring**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch B0F0158 - EPA 200.7**

**Matrix Spike (B0F0158-MS3)**                      **Source: C0E5164-08**                      **Prepared & Analyzed: 6/10/2020 2:46:12PM**

Total Phosphorus	3.08	0.0600	mg/L	2.52	0.355	108	70-130			
------------------	------	--------	------	------	-------	-----	--------	--	--	--



P.O. Box 1089 Coldspring Tx 77331  
Website: eastexlabs.com  
Email: eastexlab@eastex.net  
Tel: 936 653 3249



Texas A and M AgriLife  
1335 Regents Park Dr. Ste. 260  
Houston TX, 77058

### Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference





**EASTEX ENVIRONMENTAL LABORATORY, INC.**  
 P. O. Box 1089 • Cold Spring, TX 77331 P. O. Box 631375 • Nacogdoches, TX 75963-1375  
 (936) 653-3249 • (800) 525-0508 (936) 569-8879 • FAX (936) 569-8951

Write Copy-Follows Samples  
 Yellow Copy-Laboratory  
 Pink Copy-Client Copy

REPORT TO: Christie Taylor

INVOICE TO: Christie Taylor

Company: TCWP Agrilife Extension  
 Address: 1335 Regents Park Dr. 2100  
 Houston TX 77058

Company: TCWP Agrilife Extension  
 Address: 1335 Regents Park Dr. 2100  
 Houston TX 77058

Attn: Christie Taylor  
 Phone#: cctaylor@tamuc.edu  
 Email: 979-399-4009

Attn: Christie Taylor  
 Phone#: 979-399-4009

P.O. #: \_\_\_\_\_

Sampler's Name (print):  
 Christie Taylor

Sampler's Signature:  
 Christie Taylor

Project Name:  
 TCWP Stormwater Sampling

Work Order ID: 3379  
 Sample ID: PTWB 301-3  
 Date: 5/16/20

Remarks:  
 C or G: C=Composite G=Grab  
 Matrix: DW=Drinking Water WW=Wastewater SO=S-Soil/Sludge OT=Other  
 Container Size: 1=Gallon 2=1/2 Gallon 3=Quart/Liter 4=500mL 5=250mL  
 6=125mL (4oz) 7=60mL (2 oz) 8=40mL Vial 9=Other  
 Type: P=Plastic G=Glass T=Teflon S=Sterile  
 Preservatives: C=Chilled S=Sulfuric Acid N=Nitric Acid B=Base/Caustic Z=Zn Acetate  
 ST=Sodium Thiosulfate H=HCL O=Other

Time	Matrix	C or G	DO	pH	Cl2	Flow	Temp	Field Data			Containers								
								#	Size	Type	Pres	#	Size	Type					
8:23	W	C	8.2	8.49	—	—	24.8	1	3	P	C	X							
								1	4	P	C	X							
								1	5	P	C	X							
								2	5	P	C	X							
								1	10	P	C	X							
								3	8	P	C	X							

ANALYSIS REQUESTED  
 TSS  
 RCRA Metals  
 Total phosphate  
 NO<sub>2</sub>+NO<sub>3</sub>  
 NH<sub>3</sub>N  
 E. coli  
 TPH

Relinquished By: Christie Taylor

Received By: [Signature]

Date: 5-16-20 Time: 9:10

Received lead: YES / NO

Relinquished By: \_\_\_\_\_

Received By: \_\_\_\_\_

Date: \_\_\_\_\_ Time: \_\_\_\_\_

Received lead: YES / NO

LAB USE ONLY  
 Alternate Check In: [Signature]  
 Sample Condition Acceptable: YES / NO  
 Date: 5/16/20 Time: 2:45  
 Temp. C: 20  
 \*Therm ID: 15  
 Logged In By: [Signature]  
 Date: 5-18-20 Time: 7:22

\*Thermometer has 0.0 factor and recorded temperature is actual temperature