



P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249



January 24, 2020

Texas A&M Agrilife
Texas A and M AgriLife
1335 Regents Park Dr. Ste. 260
Houston, TX 77058

TX A and M Community Stormwater

Enclosed are the results of analyses for samples received by the laboratory on 01/11/20 11:46, with Lab ID Number C0A2410. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Mark Bourgeois
Special Projects Manager



P.O. Box 1089 Coldspring Tx 77331
 Website: eastexlabs.com
 Email: eastexlab@eastex.net
 Tel: 936 653 3249



Texas A and M AgriLife
 1335 Regents Park Dr. Ste. 260
 Houston TX, 77058

LABORATORY ANALYTICAL REPORT

Project: TX A and M Community Stormwater
 Sample Matrix: Water
 Client Matrix: Water

Sample Date & Time: 01/11/2020 05:24
 Collector: CT
 Sample Type: Grab
 Print Date: 1/24/2020

**UTRP 101-4
 C0A2410-01 (Water)**

Analyte	Result	Reporting Limit	Units	Nelac Status	Batch	Analyzed Date & Time	Method	Notes
<u>Metals</u>								
Arsenic, Total	0.000895	0.000500	mg/L	A	B0A1754	01/16/2020 19:30	EPA 200.8	
Barium, Total	0.00811	0.00300	mg/L	A	B0A1754	01/16/2020 19:30	EPA 200.8	
Cadmium, Total	<0.00100	0.00100	mg/L	A	B0A1754	01/16/2020 19:30	EPA 200.8	
Chromium, Total	<0.00300	0.00300	mg/L	A	B0A1754	01/16/2020 19:30	EPA 200.8	
Lead, Total	<0.000500	0.000500	mg/L	A	B0A1754	01/16/2020 19:30	EPA 200.8	
Mercury, Total	<0.000200	0.000200	mg/L	A	B0A2051	01/17/2020 14:05	EPA 245.1	
Selenium, Total	<0.00500	0.00500	mg/L	A	B0A1754	01/16/2020 19:30	EPA 200.8	
Silver, Total	<0.000500	0.000500	mg/L	A	B0A1754	01/16/2020 19:30	EPA 200.8	
Total Phosphorus	<0.0600	0.0600	mg/L	A	B0A2562	01/22/2020 16:24	EPA 200.7	

Microbiological Lab

E coli IDEXX	63	10	mpn/100ml	A	B0A1514	01/11/2020 12:26	Colilert 18	15
--------------	----	----	-----------	---	---------	------------------	-------------	----

Organics

TPH TX 1005

TPH (>C6 - C12)	<2.00	2.00	mg/L	A	B0A2376	01/21/2020 03:00	TX 1005	
TPH (>C12 - C28)	<2.00	2.00	mg/L	A	B0A2376	01/21/2020 03:00	TX 1005	
TPH (>C28 - C35)	<5.00	5.00	mg/L	A	B0A2376	01/21/2020 03:00	TX 1005	
Total TPH (>C6-C35)	<5.00	5.00	mg/L		B0A2376	01/21/2020 03:00	TX 1005	
Surrogate: 1-Chlorooctane			101 %	70-130	B0A2376	01/21/2020 03:00	TX 1005	
Surrogate: o-Terphenyl			113 %	70-130	B0A2376	01/21/2020 03:00	TX 1005	

Wet Lab

Ammonia as N	0.2	0.1	mg/L	A	B0A1497	01/13/2020 17:45	SM 4500 NH3 G	
Nitrate+Nitrite as N	0.21	0.02	mg/L	A	B0A1546	01/14/2020 10:00	SM 4500 NO3 F	
TSS	1.2	1.0	mg/L	A	B0A1505	01/13/2020 17:45	SM 2540 D	25



P.O. Box 1089 Coldspring Tx 77331
 Website: eastexlabs.com
 Email: eastexlab@eastex.net
 Tel: 936 653 3249



Texas A and M AgriLife
 1335 Regents Park Dr. Ste. 260
 Houston TX, 77058

SM 4500 NH3 G - Quality Control
Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B0A1497 - No Prep										
Blank (B0A1497-BLK1)				Prepared & Analyzed: 1/13/2020 5:40:00PM						
Ammonia as N	ND	0.1	mg/L							
LCS (B0A1497-BS1)				Prepared & Analyzed: 1/14/2020 7:47:00AM						
Ammonia as N	2.05		mg/L	2.00		102	90-110			
LCS Dup (B0A1497-BSD1)				Prepared & Analyzed: 1/14/2020 7:45:00AM						
Ammonia as N	1.97		mg/L	2.00		98.6	90-110	3.83	20	
MRL Check (B0A1497-MRL1)				Prepared & Analyzed: 1/13/2020 5:42:00PM						
Ammonia as N	0.117		mg/L	0.100		117	0-200			
Matrix Spike (B0A1497-MS1)		Source: C0A2410-01		Prepared & Analyzed: 1/13/2020 5:43:00PM						
Ammonia as N	2.6	0.1	mg/L	2.50	0.2	99.9	80-120			
Batch B0A1505 - No Prep										
Blank (B0A1505-BLK1)				Prepared & Analyzed: 1/13/2020 5:45:00PM						
TSS	ND	1.0	mg/L							
Duplicate (B0A1505-DUP1)		Source: C0A2080-01		Prepared & Analyzed: 1/13/2020 5:45:00PM						
TSS	214	1.0	mg/L		214			0.00	10	
Batch B0A1514 - No Prep Micro										
Blank (B0A1514-BLK1)				Prepared & Analyzed: 1/11/2020 12:26:00PM						
E coli IDEXX	ND	1	mpn/100ml							15
Duplicate (B0A1514-DUP1)		Source: C0A2410-01		Prepared & Analyzed: 1/11/2020 12:26:00PM						
E coli IDEXX	ND	10	mpn/100ml		63				200	15
Batch B0A1546 - No Prep										
Blank (B0A1546-BLK1)				Prepared & Analyzed: 1/14/2020 10:00:00AM						
Nitrate+Nitrite as N	ND	0.02	mg/L							
LCS (B0A1546-BS1)				Prepared & Analyzed: 1/14/2020 10:00:00AM						
Nitrate+Nitrite as N	1.09		mg/L	1.00		109	90-110			
LCS Dup (B0A1546-BSD1)				Prepared & Analyzed: 1/14/2020 10:00:00AM						
Nitrate+Nitrite as N	1.11		mg/L	1.00		111	90-110	1.82	20	

Eastex Environmental Laboratory - Coldspring

*The results in this report apply to the samples analyzed in accordance with the chain of custody document.
 This analytical report must be reproduced in its entirety.*

*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331
 Website: eastexlabs.com
 Email: eastexlab@eastex.net
 Tel: 936 653 3249



Texas A and M AgriLife
 1335 Regents Park Dr. Ste. 260
 Houston TX, 77058

SM 4500 NO3 F - Quality Control
Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B0A1546 - No Prep										
MRL Check (B0A1546-MRL1)					Prepared & Analyzed: 1/14/2020 10:00:00AM					
Nitrate+Nitrite as N	0.0150		mg/L	0.0200		75.0	0-200			
Matrix Spike (B0A1546-MS1)					Source: C0A2070-04 Prepared & Analyzed: 1/14/2020 10:00:00AM					
Nitrate+Nitrite as N	1.16	0.02	mg/L	1.00	0.190	97.0	80-120			
Batch B0A1754 - EPA 200.8										
Blank (B0A1754-BLK1)					Prepared & Analyzed: 1/16/2020 6:17:52PM					
Arsenic, Total	ND	0.000500	mg/L							
Barium, Total	ND	0.00300	mg/L							
Cadmium, Total	ND	0.00100	mg/L							
Chromium, Total	ND	0.00300	mg/L							
Lead, Total	ND	0.000500	mg/L							
Selenium, Total	ND	0.00500	mg/L							
Silver, Total	ND	0.000500	mg/L							
LCS (B0A1754-BS1)					Prepared & Analyzed: 1/16/2020 6:23:03PM					
Arsenic, Total	0.0919	0.000500	mg/L	0.100		91.9	85-115			
Barium, Total	0.0880	0.00300	mg/L	0.100		88.0	85-115			
Cadmium, Total	0.0943	0.00100	mg/L	0.100		94.3	85-115			
Chromium, Total	0.0999	0.00300	mg/L	0.100		99.9	85-115			
Lead, Total	0.0873	0.000500	mg/L	0.100		87.3	85-115			
Selenium, Total	0.0918	0.00500	mg/L	0.100		91.8	85-115			
Silver, Total	0.0972	0.000500	mg/L	0.100		97.2	85-115			
Matrix Spike (B0A1754-MS1)					Source: C0A2279-01 Prepared & Analyzed: 1/16/2020 6:38:31PM					
Arsenic, Total	0.0910	0.000500	mg/L	0.100	0.000434	90.6	70-130			
Barium, Total	0.123	0.00300	mg/L	0.100	0.0373	85.7	70-130			
Cadmium, Total	0.0888	0.00100	mg/L	0.100	ND	88.8	70-130			
Chromium, Total	0.0894	0.00300	mg/L	0.100	ND	89.4	70-130			
Lead, Total	0.0898	0.000500	mg/L	0.100	ND	89.8	70-130			
Selenium, Total	0.0849	0.00500	mg/L	0.100	0.00166	83.2	70-130			
Silver, Total	0.0905	0.000500	mg/L	0.100	ND	90.5	70-130			
Matrix Spike Dup (B0A1754-MSD1)					Source: C0A2279-01 Prepared & Analyzed: 1/16/2020 6:43:37PM					
Arsenic, Total	0.0936	0.000500	mg/L	0.100	0.000434	93.2	70-130	2.80	20	
Barium, Total	0.119	0.00300	mg/L	0.100	0.0373	81.4	70-130	3.53	20	
Cadmium, Total	0.0907	0.00100	mg/L	0.100	ND	90.7	70-130	2.03	20	

Eastex Environmental Laboratory - Coldspring

*The results in this report apply to the samples analyzed in accordance with the chain of custody document.
 This analytical report must be reproduced in its entirety.*

*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331
 Website: eastexlabs.com
 Email: eastexlab@eastex.net
 Tel: 936 653 3249



Texas A and M AgriLife
 1335 Regents Park Dr. Ste. 260
 Houston TX, 77058

EPA 200.8 - Quality Control
Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0A1754 - EPA 200.8

Matrix Spike Dup (B0A1754-MSD1)		Source: C0A2279-01			Prepared & Analyzed: 1/16/2020 6:43:37PM					
Chromium, Total	0.0922	0.00300	mg/L	0.100	ND	92.2	70-130	3.03	20	
Lead, Total	0.0881	0.000500	mg/L	0.100	ND	88.1	70-130	1.97	20	
Selenium, Total	0.0877	0.00500	mg/L	0.100	0.00166	86.1	70-130	3.34	20	
Silver, Total	0.0925	0.000500	mg/L	0.100	ND	92.5	70-130	2.19	20	

Batch B0A2051 - EPA 245.1

Blank (B0A2051-BLK1)		Prepared & Analyzed: 1/17/2020 1:37:22PM								
Mercury, Total	ND	0.000200	mg/L							

Blank (B0A2051-BLK2)		Prepared & Analyzed: 1/17/2020 2:13:44PM								
Mercury, Total	ND	0.000200	mg/L							

LCS (B0A2051-BS1)		Prepared & Analyzed: 1/17/2020 1:41:24PM								
Mercury, Total	0.00285	0.000200	mg/L	0.00250		114	80-120			

LCS (B0A2051-BS2)		Prepared & Analyzed: 1/17/2020 2:15:45PM								
Mercury, Total	0.00267	0.000200	mg/L	0.00250		107	80-120			

Matrix Spike (B0A2051-MS1)		Source: C0A1864-01			Prepared & Analyzed: 1/17/2020 1:49:29PM					
Mercury, Total	0.00281	0.000200	mg/L	0.00250	0.000190	105	80-120			

Matrix Spike (B0A2051-MS2)		Source: C0A2724-01			Prepared & Analyzed: 1/17/2020 2:21:49PM					
Mercury, Total	0.00313	0.000200	mg/L	0.00250	0.000165	119	80-120			

Matrix Spike Dup (B0A2051-MSD1)		Source: C0A1864-01			Prepared & Analyzed: 1/17/2020 1:51:30PM					
Mercury, Total	0.00302	0.000200	mg/L	0.00250	0.000190	113	80-120	7.20	20	

Matrix Spike Dup (B0A2051-MSD2)		Source: C0A2724-01			Prepared & Analyzed: 1/17/2020 2:23:50PM					
Mercury, Total	0.00318	0.000200	mg/L	0.00250	0.000165	121	80-120	1.58	20	

Batch B0A2376 - No Prep- Organic

Blank (B0A2376-BLK1)		Prepared & Analyzed: 1/21/2020 3:00:00AM								
TPH (>C6 - C12)	ND	2.00	mg/L							
TPH (>C12 - C28)	ND	2.00	mg/L							
TPH (>C28 - C35)	ND	5.00	mg/L							
Total TPH (>C6-C35)	ND	5.00	mg/L							
Surrogate: 1-Chlorooctane	33.6		mg/L	33.3		101	70-130			

Eastex Environmental Laboratory - Coldspring

*The results in this report apply to the samples analyzed in accordance with the chain of custody document.
 This analytical report must be reproduced in its entirety.*

*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331
 Website: eastexlabs.com
 Email: eastexlab@eastex.net
 Tel: 936 653 3249



Texas A and M AgriLife
 1335 Regents Park Dr. Ste. 260
 Houston TX, 77058

TX 1005 - Quality Control
Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B0A2376 - No Prep- Organic										
Blank (B0A2376-BLK1)				Prepared & Analyzed: 1/21/2020 3:00:00AM						
Surrogate: <i>o</i> -Terphenyl	39.0		mg/L	33.3		117	70-130			
LCS (B0A2376-BS1)				Prepared & Analyzed: 1/21/2020 3:00:00AM						
TPH (>C6 - C12)	28.5	2.00	mg/L	33.3		85.6	70-130			
TPH (>C12 - C28)	31.1	2.00	mg/L	33.3		93.3	70-130			
TPH (>C28 - C35)	66.2	5.00	mg/L	66.7		99.4	70-130			
Surrogate: <i>1</i> -Chlorooctane	31.1		mg/L	33.3		93.3	70-130			
Surrogate: <i>o</i> -Terphenyl	34.2		mg/L	33.3		103	70-130			
Matrix Spike (B0A2376-MS1)				Source: C0A2409-01		Prepared & Analyzed: 1/21/2020 3:00:00AM				
TPH (>C6 - C12)	31.9	2.00	mg/L	33.3	ND	95.7	70-130			
TPH (>C12 - C28)	36.0	2.00	mg/L	33.3	ND	108	70-130			
TPH (>C28 - C35)	63.0	5.00	mg/L	66.7	ND	94.5	70-130			
Surrogate: <i>1</i> -Chlorooctane	31.6		mg/L	33.3		94.8	70-130			
Surrogate: <i>o</i> -Terphenyl	34.6		mg/L	33.3		104	70-130			
Matrix Spike Dup (B0A2376-MSD1)				Source: C0A2409-01		Prepared & Analyzed: 1/21/2020 3:00:00AM				
TPH (>C6 - C12)	30.2	2.00	mg/L	33.3	ND	90.7	70-130	5.34	25	
TPH (>C12 - C28)	33.5	2.00	mg/L	33.3	ND	101	70-130	7.08	25	
TPH (>C28 - C35)	60.7	5.00	mg/L	66.7	ND	91.1	70-130	3.67	25	
Surrogate: <i>1</i> -Chlorooctane	31.7		mg/L	33.3		95.2	70-130			
Surrogate: <i>o</i> -Terphenyl	34.6		mg/L	33.3		104	70-130			
Batch B0A2562 - EPA 200.7										
Blank (B0A2562-BLK1)				Prepared & Analyzed: 1/22/2020 3:06:47PM						
Total Phosphorus	ND	0.0600	mg/L							
Blank (B0A2562-BLK2)				Prepared & Analyzed: 1/22/2020 4:11:28PM						
Total Phosphorus	ND	0.0600	mg/L							
Blank (B0A2562-BLK3)				Prepared & Analyzed: 1/22/2020 5:22:53PM						
Total Phosphorus	ND	0.0600	mg/L							
LCS (B0A2562-BS1)				Prepared & Analyzed: 1/22/2020 3:15:42PM						
Total Phosphorus	2.31	0.0600	mg/L	2.52		91.8	85-115			
LCS (B0A2562-BS2)				Prepared & Analyzed: 1/22/2020 4:15:55PM						

Eastex Environmental Laboratory - Coldspring

The results in this report apply to the samples analyzed in accordance with the chain of custody document.
 This analytical report must be reproduced in its entirety.

*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331
 Website: eastexlabs.com
 Email: eastexlab@eastex.net
 Tel: 936 653 3249



Texas A and M AgriLife
 1335 Regents Park Dr. Ste. 260
 Houston TX, 77058

EPA 200.7 - Quality Control
Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B0A2562 - EPA 200.7										
LCS (B0A2562-BS2)				Prepared & Analyzed: 1/22/2020 4:15:55PM						
Total Phosphorus	2.15	0.0600	mg/L	2.52		85.5	85-115			
LCS (B0A2562-BS3)				Prepared & Analyzed: 1/22/2020 5:27:19PM						
Total Phosphorus	2.15	0.0600	mg/L	2.52		85.4	85-115			
LCS Dup (B0A2562-BSD1)				Prepared & Analyzed: 1/22/2020 3:11:14PM						
Total Phosphorus	2.56	0.0600	mg/L	2.52		102	85-115	10.2	20	
LCS Dup (B0A2562-BSD2)				Prepared & Analyzed: 1/22/2020 4:20:21PM						
Total Phosphorus	2.19	0.0600	mg/L	2.52		87.0	85-115	1.77	20	
LCS Dup (B0A2562-BSD3)				Prepared & Analyzed: 1/22/2020 5:31:47PM						
Total Phosphorus	2.34	0.0600	mg/L	2.52		93.0	85-115	8.48	20	
MRL Check (B0A2562-MRL1)				Prepared & Analyzed: 1/22/2020 3:02:18PM						
Total Phosphorus	0.00660		mg/L	0.0600		11.0	0-200			
Matrix Spike (B0A2562-MS1)		Source: C0A2069-01		Prepared & Analyzed: 1/22/2020 3:24:38PM						
Total Phosphorus	2.44	0.0600	mg/L	2.52	0.0482	95.0	70-130			
Matrix Spike (B0A2562-MS2)		Source: C0A2410-01		Prepared & Analyzed: 1/22/2020 4:29:15PM						
Total Phosphorus	2.15	0.0600	mg/L	2.52	0.0108	85.0	70-130			
Matrix Spike (B0A2562-MS3)		Source: C0A3045-01		Prepared & Analyzed: 1/22/2020 5:40:46PM						
Total Phosphorus	1.98	0.0600	mg/L	2.52	0.0624	76.1	70-130			



P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249



Texas A and M AgriLife
1335 Regents Park Dr. Ste. 260
Houston TX, 77058

Notes and Definitions

- 25 Residue not in the method range of 2.5-200 mg.
- 15 Duplicate precision associated with sample batch outside of acceptance limits.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

