



P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249




November 18, 2019

Texas A&M Agrilife
Texas A and M AgriLife
1335 Regents Park Dr. Ste. 260
Houston, TX 77058

TX A and M Community Stormwater

Enclosed are the results of analyses for samples received by the laboratory on 11/08/19 14:30, with Lab ID Number C9K1869. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Mark Bourgeois
Special Projects Manager



P.O. Box 1089 Coldspring Tx 77331
 Website: eastexlabs.com
 Email: eastexlab@eastex.net
 Tel: 936 653 3249



Texas A and M AgriLife
 1335 Regents Park Dr. Ste. 260
 Houston TX, 77058

LABORATORY ANALYTICAL REPORT

Project: TX A and M Community Stormwater
 Sample Matrix: Water
 Client Matrix: Water

Sample Date & Time: 11/07/2019 18:58
 Collector: CT
 Sample Type: Grab
 Print Date: 11/18/2019

UTRP 102-3
C9K1869-01 (Water)

Analyte	Result	Reporting Limit	Units	Nelac Status	Batch	Analyzed Date & Time	Method	Notes
<u>Metals</u>								
Arsenic, Total	<0.000500	0.000500	mg/L	A	B9K1126	11/12/2019 16:59	EPA 200.8	
Barium, Total	0.0190	0.00300	mg/L	A	B9K1126	11/12/2019 16:59	EPA 200.8	
Cadmium, Total	<0.00100	0.00100	mg/L	A	B9K1126	11/12/2019 16:59	EPA 200.8	
Chromium, Total	<0.00300	0.00300	mg/L	A	B9K1126	11/12/2019 16:59	EPA 200.8	
Lead, Total	0.000643	0.000500	mg/L	A	B9K1126	11/12/2019 16:59	EPA 200.8	
Mercury, Total	<0.000200	0.000200	mg/L	A	B9K1848	11/15/2019 14:08	EPA 245.1	
Selenium, Total	<0.00500	0.00500	mg/L	A	B9K1126	11/12/2019 16:59	EPA 200.8	
Silver, Total	<0.000500	0.000500	mg/L	A	B9K1126	11/12/2019 16:59	EPA 200.8	
Total Phosphorus	0.0471	0.0200	mg/L	A	B9K1843	11/15/2019 09:25	EPA 200.7	

Microbiological Lab

E coli IDEXX	110	10	mpn/100ml	A	B9K1184	11/08/2019 15:45	Colilert 18	
--------------	-----	----	-----------	---	---------	------------------	-------------	--

Organics

TPH TX 1005

TPH (>C6 - C12)	<1.97	1.97	mg/L	A	B9K1339	11/12/2019 17:37	TX 1005	
TPH (>C12 - C28)	<1.97	1.97	mg/L	A	B9K1339	11/12/2019 17:37	TX 1005	23
TPH (>C28 - C35)	<4.92	4.92	mg/L	A	B9K1339	11/12/2019 17:37	TX 1005	23
Total TPH (>C6-C35)	<49.2	49.2	mg/L		B9K1339	11/12/2019 15:34	TX 1005	
Surrogate: 1-Chlorooctane			83.2 %	70-130	B9K1339	11/12/2019 17:37	TX 1005	
Surrogate: o-Terphenyl			79.0 %	70-130	B9K1339	11/12/2019 17:37	TX 1005	

Wet Lab

Ammonia as N	4.1	0.1	mg/L	A	B9K1169	11/12/2019 07:52	SM 4500 NH3 G	
Nitrate+Nitrite as N	0.08	0.02	mg/L	A	B9K1211	11/12/2019 09:00	SM 4500 NO3 F	
TSS	3.5	1.0	mg/L	A	B9K1141	11/11/2019 10:12	SM 2540 D	



P.O. Box 1089 Coldspring Tx 77331
 Website: eastexlabs.com
 Email: eastexlab@eastex.net
 Tel: 936 653 3249



Texas A and M AgriLife
 1335 Regents Park Dr. Ste. 260
 Houston TX, 77058

EPA 200.8 - Quality Control
Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9K1126 - EPA 200.8

Blank (B9K1126-BLK1)

Prepared & Analyzed: 11/12/2019 11:14:50AM

Arsenic, Total	ND	0.000500	mg/L							
Barium, Total	ND	0.00300	mg/L							
Cadmium, Total	ND	0.00100	mg/L							
Chromium, Total	ND	0.00300	mg/L							
Lead, Total	ND	0.000500	mg/L							
Selenium, Total	ND	0.00500	mg/L							
Silver, Total	ND	0.000500	mg/L							

LCS (B9K1126-BS1)

Prepared & Analyzed: 11/12/2019 11:20:01AM

Arsenic, Total	0.0975	0.000500	mg/L	0.100		97.5	85-115			
Barium, Total	0.0966	0.00300	mg/L	0.100		96.6	85-115			
Cadmium, Total	0.0977	0.00100	mg/L	0.100		97.7	85-115			
Chromium, Total	0.0970	0.00300	mg/L	0.100		97.0	85-115			
Lead, Total	0.0970	0.000500	mg/L	0.100		97.0	85-115			
Selenium, Total	0.0921	0.00500	mg/L	0.100		92.1	85-115			
Silver, Total	0.0981	0.000500	mg/L	0.100		98.1	85-115			

Matrix Spike (B9K1126-MS1)

Source: C9K0707-01

Prepared & Analyzed: 11/12/2019 11:35:27AM

Arsenic, Total	0.104	0.000500	mg/L	0.100	0.00138	103	70-130			
Barium, Total	0.159	0.00300	mg/L	0.100	0.0574	102	70-130			
Cadmium, Total	0.101	0.00100	mg/L	0.100	0.00174	99.8	70-130			
Chromium, Total	0.100	0.00300	mg/L	0.100	ND	100	70-130			
Lead, Total	0.118	0.000500	mg/L	0.100	0.0161	102	70-130			
Selenium, Total	0.106	0.00500	mg/L	0.100	ND	106	70-130			
Silver, Total	0.0997	0.000500	mg/L	0.100	ND	99.7	70-130			

Matrix Spike Dup (B9K1126-MSD1)

Source: C9K0707-01

Prepared & Analyzed: 11/12/2019 11:40:33AM

Arsenic, Total	0.101	0.000500	mg/L	0.100	0.00138	100	70-130	2.43	20	
Barium, Total	0.159	0.00300	mg/L	0.100	0.0574	102	70-130	0.00214	20	
Cadmium, Total	0.101	0.00100	mg/L	0.100	0.00174	99.3	70-130	0.476	20	
Chromium, Total	0.0977	0.00300	mg/L	0.100	ND	97.7	70-130	2.37	20	
Lead, Total	0.114	0.000500	mg/L	0.100	0.0161	98.3	70-130	3.07	20	
Selenium, Total	0.0970	0.00500	mg/L	0.100	ND	97.0	70-130	8.86	20	
Silver, Total	0.0984	0.000500	mg/L	0.100	ND	98.4	70-130	1.33	20	

Batch B9K1141 - No Prep

Blank (B9K1141-BLK1)

Prepared & Analyzed: 11/11/2019 10:12:00AM

Eastex Environmental Laboratory - Coldspring

*The results in this report apply to the samples analyzed in accordance with the chain of custody document.
 This analytical report must be reproduced in its entirety.*

*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331
 Website: eastexlabs.com
 Email: eastexlab@eastex.net
 Tel: 936 653 3249



Texas A and M AgriLife
 1335 Regents Park Dr. Ste. 260
 Houston TX, 77058

SM 2540 D - Quality Control
Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B9K1141 - No Prep										
Blank (B9K1141-BLK1)					Prepared & Analyzed: 11/11/2019 10:12:00AM					
TSS	ND	1.0	mg/L							
Duplicate (B9K1141-DUP1)					Source: C9K1603-01 Prepared & Analyzed: 11/11/2019 10:12:00AM					
TSS	218	1.0	mg/L		228			4.48	10	
Batch B9K1169 - No Prep										
Blank (B9K1169-BLK1)					Prepared & Analyzed: 11/12/2019 7:37:00AM					
Ammonia as N	ND	0.1	mg/L							
LCS (B9K1169-BS1)					Prepared & Analyzed: 11/12/2019 8:35:00AM					
Ammonia as N	2.00		mg/L	2.00		100	90-110			
LCS Dup (B9K1169-BSD1)					Prepared & Analyzed: 11/12/2019 8:33:00AM					
Ammonia as N	1.90		mg/L	2.00		95.0	90-110	5.13	20	
MRL Check (B9K1169-MRL1)					Prepared & Analyzed: 11/12/2019 7:39:00AM					
Ammonia as N	0.110		mg/L	0.100		110	0-200			
Matrix Spike (B9K1169-MS1)					Source: C9K1493-01 Prepared & Analyzed: 11/12/2019 7:41:00AM					
Ammonia as N	3.0	0.1	mg/L	2.50	0.2	111	80-120			
Batch B9K1184 - No Prep Micro										
Blank (B9K1184-BLK1)					Prepared & Analyzed: 11/8/2019 3:45:00PM					
E coli IDEXX	ND		1 mpn/100ml							
Duplicate (B9K1184-DUP1)					Source: C9K1648-01 Prepared & Analyzed: 11/8/2019 3:45:00PM					
E coli IDEXX	4	2	mpn/100ml		6			43.1	200	
Batch B9K1211 - No Prep										
Blank (B9K1211-BLK1)					Prepared & Analyzed: 11/12/2019 9:00:00AM					
Nitrate+Nitrite as N	ND	0.02	mg/L							
LCS (B9K1211-BS1)					Prepared & Analyzed: 11/12/2019 9:00:00AM					
Nitrate+Nitrite as N	0.910		mg/L	1.00		91.0	90-110			
LCS Dup (B9K1211-BSD1)					Prepared & Analyzed: 11/12/2019 9:00:00AM					
Nitrate+Nitrite as N	0.910		mg/L	1.00		91.0	90-110	0.00	20	

Eastex Environmental Laboratory - Coldspring

*The results in this report apply to the samples analyzed in accordance with the chain of custody document.
 This analytical report must be reproduced in its entirety.*

*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331
 Website: eastexlabs.com
 Email: eastexlab@eastex.net
 Tel: 936 653 3249



Texas A and M AgriLife
 1335 Regents Park Dr. Ste. 260
 Houston TX, 77058

SM 4500 NO3 F - Quality Control
Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B9K1211 - No Prep										
MRL Check (B9K1211-MRL1)				Prepared & Analyzed: 11/12/2019 9:00:00AM						
Nitrate+Nitrite as N	0.0200		mg/L	0.0200		100	0-200			
Matrix Spike (B9K1211-MS1)				Source: C9K1493-01		Prepared & Analyzed: 11/12/2019 9:00:00AM				
Nitrate+Nitrite as N	1.03	0.02	mg/L	1.00	ND	103	80-120			
Batch B9K1339 - No Prep- Organic										
Blank (B9K1339-BLK1)				Prepared & Analyzed: 11/12/2019 2:38:00PM						
TPH (>C6 - C12)	ND	2.00	mg/L							
TPH (>C12 - C28)	ND	2.00	mg/L							
TPH (>C28 - C35)	ND	5.00	mg/L							
Total TPH (>C6-C35)	ND	5.00	mg/L							
Surrogate: 1-Chlorooctane	30.2		mg/L	33.3		90.5	70-130			
Surrogate: o-Tei phenyl	29.4		mg/L	33.3		88.3	70-130			
LCS (B9K1339-BS1)				Prepared & Analyzed: 11/12/2019 3:23:00PM						
TPH (>C6 - C12)	31.0	2.00	mg/L	33.3		92.9	70-130			
TPH (>C12 - C28)	33.8	2.00	mg/L	33.3		101	70-130			
TPH (>C28 - C35)	80.2	5.00	mg/L	66.7		120	70-130			
Surrogate: 1-Chlorooctane	34.4		mg/L	33.3		103	70-130			
Surrogate: o-Tei phenyl	32.0		mg/L	33.3		95.9	70-130			
Matrix Spike (B9K1339-MS1)				Source: C9K2263-01		Prepared & Analyzed: 11/12/2019 6:22:00PM				
TPH (>C6 - C12)	26.4	1.97	mg/L	32.8	ND	80.7	70-130			
TPH (>C12 - C28)	25.0	1.97	mg/L	32.8	4.53	62.4	70-130			23
TPH (>C28 - C35)	47.5	4.92	mg/L	65.6	ND	72.5	70-130			
Surrogate: 1-Chlorooctane	29.5		mg/L	32.8		90.1	70-130			
Surrogate: o-Tei phenyl	27.1		mg/L	32.8		82.7	70-130			
Matrix Spike Dup (B9K1339-MSD1)				Source: C9K2263-01		Prepared & Analyzed: 11/12/2019 7:06:00PM				
TPH (>C6 - C12)	27.5	1.99	mg/L	33.1	ND	83.0	70-130	3.78	25	
TPH (>C12 - C28)	25.0	1.99	mg/L	33.1	4.53	61.7	70-130	0.0802	25	23
TPH (>C28 - C35)	45.0	4.97	mg/L	66.2	ND	67.9	70-130	5.57	25	23
Surrogate: 1-Chlorooctane	30.7		mg/L	33.1		92.6	70-130			
Surrogate: o-Tei phenyl	28.2		mg/L	33.1		85.0	70-130			

Batch B9K1843 - EPA 200.7

Eastex Environmental Laboratory - Coldspring

*The results in this report apply to the samples analyzed in accordance with the chain of custody document.
 This analytical report must be reproduced in its entirety.*

*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved



P.O. Box 1089 Coldspring Tx 77331
 Website: eastexlabs.com
 Email: eastexlab@eastex.net
 Tel: 936 653 3249



Texas A and M AgriLife
 1335 Regents Park Dr. Ste. 260
 Houston TX, 77058

EPA 200.7 - Quality Control
Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B9K1843 - EPA 200.7										
Blank (B9K1843-BLK1)				Prepared & Analyzed: 11/15/2019 9:03:05AM						
Total Phosphorus	ND	0.0200	mg/L							
LCS (B9K1843-BS1)				Prepared & Analyzed: 11/15/2019 9:07:34AM						
Total Phosphorus	2.15	0.0200	mg/L	2.52		85.3	85-115			
LCS Dup (B9K1843-BSD1)				Prepared & Analyzed: 11/15/2019 9:12:02AM						
Total Phosphorus	2.14	0.0200	mg/L	2.52		85.0	85-115	0.401	20	
MRL Check (B9K1843-MRL1)				Prepared & Analyzed: 11/15/2019 8:58:36AM						
Total Phosphorus	0.0495		mg/L	0.0600		82.5	0-200			
Matrix Spike (B9K1843-MS1)		Source: C9K1867-01		Prepared & Analyzed: 11/15/2019 9:21:17AM						
Total Phosphorus	2.40	0.0200	mg/L	2.52	0.0195	94.3	70-130			
Batch B9K1848 - EPA 245.1										
Blank (B9K1848-BLK1)				Prepared & Analyzed: 11/15/2019 1:15:37PM						
Mercury, Total	ND	0.000200	mg/L							
LCS (B9K1848-BS1)				Prepared & Analyzed: 11/15/2019 1:19:39PM						
Mercury, Total	0.00245	0.000200	mg/L	0.00250		98.0	80-120			
Matrix Spike (B9K1848-MS1)		Source: C9K2183-01		Prepared & Analyzed: 11/15/2019 1:27:43PM						
Mercury, Total	0.00291	0.000200	mg/L	0.00250	0.000100	112	80-120			
Matrix Spike Dup (B9K1848-MSD1)		Source: C9K2183-01		Prepared & Analyzed: 11/15/2019 1:29:44PM						
Mercury, Total	0.00305	0.000200	mg/L	0.00250	0.000100	118	80-120	4.70	20	



P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249



Texas A and M AgriLife
1335 Regents Park Dr. Ste. 260
Houston TX, 77058

Notes and Definitions

- 23 Spike recovery outside of acceptance limits due to matrix interference.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference



EASTEX ENVIRONMENTAL LABORATORY, INC.
 P. O. Box 1089 * Cold Spring, TX 77331 P. O. Box 631375 * Nacogdoches, TX 75963-1375
 (936) 653-3249 * (800) 525-0508 (936) 569-8879 * FAX (936) 569-8951

Write Copy-Follows Samples
 Yellow Copy-Laboratory
 Pink Copy-Client Copy

REPORT TO: Christie Taylor

INVOICE TO: Christie Taylor

Company: TCWP Agrilife Ext.

Company: TCWP Agrilife Ext.

Address: 1335 Regents Park #200 Houston TX 77058

Address: 1335 Regents Park #200 Houston TX 77058

Attn: Christie Taylor

Attn: Christie Taylor

Phone#: 979-399-4009

Phone#: 979-399-4009

Email: ctaylor@tcwpedu

INSTRUCTIONS:

P.O. #: _____

C or G: C=Composite G=Grab
 Matrix: DW=Drinking Water WW=Wastewater SO=Soil/Sludge OT=Other
 Container Size: 1=1 Gallon 2=1/2 Gallon 3=Quart/Liter 4=500mL 5=250mL
 6=125mL (4oz) 7=60mL (2 oz) 8=40mL Vial 9=Other
 Type: P=Plastic G=Glass T=Teflon S=Sterile
 Preservatives: C=Chilled S=Sulfuric Acid N=Nitric Acid B=Base/Caustic Z=Zn Acetate
 ST=Sodium Thiosulfate H=HCL O=Other

Sampler's Name (print): Christie Taylor

Matrix: _____

Sampler's Signature: Christie Taylor

Type: _____

Project Name: TCWP Stormwater Sampling

Field Data

Work Order ID: 991809

Containers

Sample ID: UTRP102-3

Date: 7/19

Date: _____

Time: _____

Matrix: OT

C or G: C

DO: 8.2

pH: 8.5

Cl2: 572

Flow: _____

Temp: _____

#: 1

Size: 3

Type: P

Pres: C

Time: 18:01

Date: _____

Size: 5

Type: P

Pres: C

Date: _____

Size: 6

Type: P

Pres: C

Date: _____

Size: 4

Type: P

Pres: C

Date: _____

Size: 4

Type: P

Pres: C

Date: _____

Size: 3

Type: P

Pres: C

Date: _____

Size: 8

Type: P

Pres: C

Date: _____

Size: 5

Type: P

Pres: C

ANALYSIS REQUESTED

TSS
 Total phosphate
 E. coli
 NO₂ + NO₃
 NH₃N
 RCRA metals
 TPH

Relinquished By: Christie Taylor

Received By: [Signature]

Date: 11-8-19

Time: 12:16 (lcs)

Relinquished By: [Signature]

Received By: [Signature]

Date: 11-8-19

Time: 14:30

LAB USE ONLY

Sample Condition Acceptable: YES / NO

Date: 11-8-19

Time: 15:19

Alternate Check In: _____

Date: 11-8-19

Time: 15:19